(1930) Department.

Ms SERIES.

G.O. No. 2575

DATED 17 - 12-1930

[Despatch Abstract.]

Building - Municipal High School, Bellary - Extensions

Proposal - Dropped.

DEPARTMENT.

Received ..... 192 *Registered* 192

SECRETARY TO GOVT. LOCAL SELF GOVT. DEPARTMENT
37376
12 DEC 1926

13

Subject.

Requesting to provide for additional accommodation in the new buildings under construction for High School.

ENCLOSURES.
No (three) 10 Pages
Spare copies

Ref Gc No. 182/26

Station Bellary., *Dated the* 4th December 1926

M.R.Ry,

From (Name) N. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council,

To The Secretary to the Government of Madras,

Local Self Government Department.

Madras.

Sir,

Ref:- G.O.No. 4934 Mis., L & M., dated 19-11-26.

In forwarding herewith copies of letters No. R.O.C. 176 F.,/26 dated 24-9-26 of the Director of Public Instruction Madras, letter No. 389 dated 17-11-26 of the Headmaster, Municipal High School and the Council's resolution No. 24 dated 29-11-26, I request that the Government will be pleased to have the present school buildings which are now under construction extended so as to make provision for the additional accommodation required in the Headmaster's letter at their cost and hand over the buildings to the Council on same conditions as stated in G.O.No. 1674 dated 27-10-1925 which apply for the main buildings.

Copy of the letter R.O.C.No. 176 F/26 dated 24-9-26 from the Director of Public Instruction, Madras to the Chairman, Municipal Council, Bellary.

With reference to your letter R.O.C. No. G1., No. 182/26 dated 5th September 26, I have the honour to request that you will be so good as to inform me whether in the event of the - - Municipal High School, Bellary being shifted to the new building in June 1927 the Manual training class will be held in shed No. 1 newly constructed for it whether it is close to the new building and whether the pupils can attend the Manual training class held in the shed without any inconvenience.

2. Kindly treat this reference as very urgent and favour me with an early reply.

****

Copy of the letter No. 389 dated 17-11-26 from the Head Master, Municipal High School, Bellary to the Chairman, Municipal Council, Bellary.

With reference to your Ref. G.C.182/26 dated 5-11-26, I have the honour to submit as follows:-

The new building of the Municipal High School has now reached a stage of development which enables us to form a definite conception of what accommodation it can yield us after it has reached completion. It can only accommodate 16 regular classes from 1 Form upwards, the Physics Laboratory, the Chemistry Laboratory, the Library, the Commercial Class, the Office Room and the Assistant Masters' Retiring Room. There are atill four more regular classes. Viz., two sections of the V class, the Kanarese Sanskrit and Urudu Classes, and the Manual Training Class, for which there is absolutely no accommodation in the new building, so that even when the building becomes ready for occupation, part of the school can only move into it and not the whole. would,therefore, beg to reiterate that the acquisition of the Police Hospital building situated immediately next to the new school building is the best, easiest and the most feasible solution for the vexed problem of additional accommodation. The Hospital building can accommodate all classes for which there is no provision in the new building and will save us the trouble of making alterations in or additions to the new building. This building must be acquired, somehow or other. Situated as it will be hereafter next to a school, a place of considerable noise and disturbance, it will hardly be a fit asylum for invalids and men of indifferent health nor will it be a fit place for the location of any public office. I would suggest that the Government be strongly addressed on the subject and prevailed upon to place the building at the disposal of the Municipality for the location of the Manual Training and other classes referred to above.

In the event of our failing to acquire the Hospital building in spite of our strong representations, I beg to suggest the following alterations in the new building and additions to it.

Alteration in the New Building.

3, Converting the class room just opposite to the Master's Room into a smaller class room and a corridor leading outside into the Manual Training Class.

Additions to the New Building.

4. A block of buildings providing accommodation for the Manual Training Class (according to the type-design), the four sections of the 4th and 5th classes and the three Vernacular - - classes, Viz., Kanarese, Sanskrit and Urudu, this block of - - buildings to be built east and west in the rear of the present - new building.

5 What the cost of the alteration and additions will come to, I regret, I cannot say. The Municipal Overseer, may be consulted in the matter and be asked to prepare plans and estimates at a very early date for submission to the Government for approval and sanction. It would be a very good thing, indeed, if the benign and generous Government, who are prepared to place at our disposal a big building built at a cost of about Rs 60,000. can also be persuaded to extend their generosity a little more and undertake to make the additions and alterations themselves at - - their own cost. The additional expenditure, while it is likely to be heavy burden on the slender finances of the Municipality is nothing more than a trifle to the Government. If it should so happen that the Government does not feel inclined to incur any further expenditure on account of the Municipal High School, the Municipality, I submit, has to undertake to put up the new block of buildings and claim from the Government the highest amount of grant they could possibly get from the Government.

6. In addition to the above, I would beg to suggest that the Government be requested to provide doors for the latrines and urinals, as otherwise they will, I fear, be no more than public latrines and urinals, the seats of filth and nuisance, contaminating the physical atmosphere of the school and its environments. I make this suggestion, as I learn from the Government Overseer in charge of the building, that no provision has been -

made in the sanctioned estimate for doors to these structures.

It may also be suggested to the Government, that while providing for ordinary, plain blackboards in the walls of the class rooms, provision may also be made for Graph Blackboards side-by-side with plain-blackboards, as graphs have to be taught in all classes, 1 Form upwards.

The want of decent play-ground to the school is a serious handicap. In this respect, the school is in a very awkward situation. It has not a decent play-ground which it can call its own. It has to depend upon the mercy of others, which is more often denied than granted. It is therefore requested that early measures be taken to convert the open space to the East of the new building extended up to the General Hospital Road into a play-ground. A few rocks have to be blasted, pits filled up and the whole brought to a level. It need hardly be told that a decent play-ground is a sine qua non to a school. A rough sketch of the play-ground indicating the measurements, its defects at present and the alterations and improvements to be effected, etc. is - - herewith submitted.

****

Proceedings of the Municipal Council, Bellary.

Dated 29th November 26.

Strength being 27.

Read:-

~~24xx0x0xNnx~~

24. Letter R.C. 176 F., dated 26-10-26 from the Director, Public Instruction, Madras enquiring what action has been taken to provide accommodation in the New High School building for the Manual Training Class etc.

And also Headmaster's remarks thereon.

Resolution:-

Moved by Mr. P. Siva Rao and seconded by Mr. B.Bhima Rao

Resolved to request the Government that the additional accommodation required for the Manual training class may be provided for by the Government at their cost and that after making the necessary extensions, the buildings may be handed over to the Municipali on the same terms as the original building itself.

Amendment moved by ~~Mr.~~ M. Gopalaswami Mudaliar.

That half of the cost required for the Manual training class be met from provincial funds as per G.O. regulating the construction of buildings for local bodies and the other half be met from the Municipal funds.

Seconded by Mr. C. Balaji Rao.

Lost by 16 to 2.

Original resolution carried by 16 is to 2.

(sd) N. Narayana Rao,

Chairman, M. C.

(True Extract)

G. Nimmaya

Vice-Chairman.

7/12/26

no 37376 from the CME Bellary Ref[illegible] no 182/26 dated 4.12.26

Expension of high school buildings at the cost of Govt.

37376 [illegible] 22.12.26

Referred to [illegible] D.P.I for remarks

CME 17/1/27

D.P.I. 22/12 Rec 24/12

D/F (5) Encls.

AT

Subject.

99/14

Requesting to provide accommodation in the new buildings under construction for High School.

ENCLOSURES.
No. G.C.182/26
Spare copies

No. G.C.182/26

Station Bellary. *Dated the* 21st April 192 7

M.R.Ry,

From (Name) N. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Local Self Government Department.

Madras.

Sir,

In forwarding herewith a copy of Council's resolution No. 20 dated 12-4-27, I have the honour to state that the new Municipal High School which is now under construction is not commodious to accommodate all the classes of the school. There is no accommodation in the new building for 2 sections of the V class, the Kanarese, Sanskrit and Urudu classes and the Manual Training class. The Headmaster has therefore suggested the idea of acquiring the Police Hospital Building which is in close proximity to the school for providing additional accommodation required for the school. The only two ~~alterations~~ alternatives that are possible to provide additional accommodation are (1) to acquire the Police Hospital Building.

matter to the District Medical Officer for his opinion. Medical Officer who has been consulted desires that a new infectious diseases Hospital may be constructed within the compound of the Main Hospital in exchange of the Police Hospital Building or that some other provision in its place be made. The cost of construction of a new building for infectious diseases comes to about Rs. 15,000/-.

2 The Executive Engineer further seems to think that it would cost about Rs.10,000/- to effect the necessary alterations to the Police Hospital Building so as to make it suitable for school requirements and that with all the alterations it may not be as good as a new building.

(2) The extension of the New Building itself which will cost

M N Edn Dept
10

From the Dte Bellary No 9 18.
dated 21.4.27

Extensions to Bellary and
High school

14319-1 Edn (H) 2.5.'27.

Referred to the
D.P.I. for remarks in
continuation of Edn
Memo. no. 37376-1 Edn.
dated 22.12.26

[illegible]
30/4/27

MR
25.27

HD
30.4.27

The letter of the Bellamy ml. chairman Supp
879 asks was returned by the D.D.'s office
with this Endt.

Local Self Government **DEPARTMENT.**

Received ..... 192 *Registered* 192

18883 *Subject*



Extensions to the Municipal High School, Bellary

ENCLOSURES.

No. .....

.....

Spare copies .....

R.O.C. No. 33 F/27

Station Madras ..., *Dated the* 1st June 192 7.

From (Name) R.G.Grieve Esq., M.A.,

(Designation) Ag:Director of Public Instruction

To The Secretary to the Government of Madras,

Local Self Government Department.

Sir,

With reference to Government Endorsements No. 37376 -1 L & M., dated 22-12-26 and 14319 A-1 L & M (A-1) dated 2-5-27, I have the honour to resubmit the letters Ref.No.C.132/26 dated 4-12-26 and 21-4-27 from the Chairman Municipal Council, Bellary, and to state as follows:-

The Municipal High School, Bellary, is at present working in 20 sections and instruction is imparted in the marginally noted optional subjects and also in Sanskrit. Accommodation for 20 class rooms, a physics laboratory with provision for a theory class; a chemistry laboratory with provision for a theory class;

tics and Physics & Chemistry and Vernacular ial subjects

commercial room, Headmasters and office room; Additional masters' room; Library and small rooms for Sanskrit Kanarese and Urudu classes is therefore necessary. The Manual training class working since 9-6-26 is now held in a temporary shed (53' x 22') constructed for the purpose in the compound of the High school building. If the school is shifted to the new building accommodation will be necessary for the manual training class also. Attention is in this connection invited to my letter R.C.No.176 F/26 dated 27-1-27. The new building at an estimated cost of Rs.56.000 the construction of which has been sanctioned in G.O.No. 1674 W dated 27-10-25 is not sufficient to provide the accommodation required. The ~~following~~ originally asked additions will be necessary. Provision for (a) a water and a tiffin shed (b) a lumber room for

rooms for the 4th and
sses which have t
s

games and scout troop mate

er class rooms for
t, Kanarese and Urdu

(c) doors for latrines and urinals and (d) graph black-

l for the manual
g class.

boards in addition to the ordinary black-boards for which provision has been made, are also desirable. Ultimately provision for

classes 4 and 5 and for language classes with a wing in which the manual training work could be done.

4. Attention is in this connection invited to the Headmaster's letter dated 17-11-26 which contains suggestions to be carried out in the new buildings unde construction, i.e., (i) provision of doors for the latri nd urinals (ii) provision of plain black-boards in the alls of the class rooms and (iii) provision of graph lackboards. The Council has accepted the suggestions. hese seem to be necessary and Government may therefor equest the P.W.D. to give effect to the same.

5. The Headmaster also suggests to make provis: or a ply ground. As the District Educational Officer as not offered any remarks on this suggestion and as equires further investigation the Chairman Municipal ouncil may be advised to address Government separatel n the subject through me.

I have the honour to be,

S i r,

Your most obedient servant

For Director of Public Instruc

om the C.M.C,Bellary No: 4.C. 182/27
21-4-27

D.P.I.R.C.C,33 F d/ 1-6-27

ubject:- Building for the Municipal
High School, Bellary.

Memo: No: 1799 B-2 d/ 14927

The D.P.I is requested to obtain and submit to Govt, plans and estimates for the additions and improvements to the above building which are specified in paragraphs 2-4 of his letter read above.

2. The Director is also requested to report whether any further extension to the buildings will be required in the near future and if so, to furnish an approximate estimate of the cost of such extensions.

3. The C.M.C,Bellary, may address Govt, separately through the D.P.I in regard to the provision of a playground for the school.

Received ..... 192 *Registered* 192

Subject.

Conversion of the existing school building into a hostel and the construction of new building for the Municipal High School, Bellary.

Ab 1/3

ENCLOSURES.

No. .....

.....

Spare copies .....

R.O.C.No.33 B/27

Station Madras, *Dated the* 6th March 1928.

From (Name) R.G. Grieve, Esq., M.A., F.R.G.S.,

(Designation) Ag. Director of Public Instruction,

To The Secretary to the Government of Madras,

LAW (EDUCATION) Department.

Sir,

MP 18-19 infra

In submitting herewith letter Ref. Gl. No. 101/21-2-28 from the Chairman, Municipal Council, Bellary, I have the honour to invite your attention to my letter R.O.C. No.33 B/27, dated 1st June 1927 and para 1 of Government Memorandum No. 1799 B-2, dated 15th September 1927 and to state that, in spite of several reminders, the plans and Estimates for further extensions to the existing school building have not yet been received from the Chairman, Municipal Council. As regards the Chairman's proposal to convert the existing building into a hostel and to erect a new building for the school on the model of the two storied type design for High schools, I consider that it is entirely unacceptable and I do not agree with his

remarks regarding the type design. The existing building is not unsuitable and I request that Government may direct the Chairman, Municipal Council to forward the plans and estimate for the extensions already called for at an early date.

I have the honour to be,

Sir,

Your most obedient servant,

H. T. Saunders 8/3

for Director of Public Instruction



Received ..... 192 . *Registered* 19

Subject.

Type design building - Two storied - Municipal High School - Present building - Conversion into hostel - Orders requested

---

22/4/28

ENCLOSURES.
No. .....
.....
Spare copies .....

Pol Gl No. 101
21.2.28

Station Bellary , *Dated the* 17th February 1928

From (*Name*) M.R.Ry.N.Narayana Rao Garu, B.A.,B.L.,

(*Designation*) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Local Self Government Department

Through the Director of Public Instruction,
MADRAS.

Sir,

While thanking the Government for having provided the Municipality with a spacious building for the High School, I have the honour to state that though the school is built on the most modern and approved principles of sanitation and hygiene it does not for all practical purposes take the place of one that is suitable for a progressing and important town like Bellary, the sister institutions of other districts having their buildings in much better a style than this.

The 2nd complaint with regard to this building is want of accommodation. Owing to this defect several class rooms of the junior and vernacular classes have not been able to get in the new building. This has made the Council to prevail upon th

Government for the provision of additional accommodation subject has received due consideration at their hands.

Lastly the peculiar nature of the building is a real handicap. Windows without shutters, entrances without doors and the narrow verandahs all round afford very little protection against wind rain and sun.

Very recently the District Educational Officer was please to send me a copy of the type design of a two storied building for secondary school for my perusal and I was glad to see that the type designed two storied building referred to therein was the best suited for this place.

I therefore request that the Government will kindly extend their sympathy by converting the present school building into a hostel and sanctioned a type designed two storied building for Bellary in which case the proposal now undertaken for the extension of the present building may be dropped.

I have the honour to be,
Sir,
Your most obedient servant,

G. Narasimhaiah
-Chairman.
20/2/28

Memo no. 1799B-3 d 26/8/28

Buildings of the Municipal high School, Bellary — extensions — Chairman's letter Ref. G.O. No. 101 S 17-2-28

The Govt are ~~not prepared~~ unable to accept the proposal of the C.M.C, Bellary, that the building recently constructed at the cost of Provincial funds for the Municipal High School, Bellary, may be converted into a hostel and that another building in accordance with the ~~Construction of the~~ ~~attached plan~~ type design for secondary schools may be constructed for the school. The Chairman is requested to submit to Govt through the D.P.I. the plans and estimates for additions and improvements to the present

present building called
for ~~in~~ Memo. No 17991
/A 15-9 27 at an earl
date

17.3.28 21/3

19.3.28

22 LE1413B C.F. 30.

EDUCATIONAL DEPARTMENT. 14.6.28.

Received ... 192 Registered ... 192

Subject.

Municipal High School, Bellary - Building - Extensions.

ENCLOSURES.
No ...
Space copies ...

R.O.C. No. 33 B/27

Station Madras Dated the 12th June 1928 19

From (Name) R.G.Grieve Esq., M.A., F.R.G.S.

(Designation) Ag. Director of Public Instruction

To The Secretary to the Government of Madras,

LAW (EDUCATION) Department

Sir,

1 Vol 5 20-24 Ante With reference to Government Memorandum No. 1799 B-3 dated 26th March 1928 asking the Chairman, Municipal Council, Bellary to submit plans and estimates for additions and improvements to the present building of the Municipal High School, Bellary, I have the honour to enclose herewith for information a copy of the Chairman's letter No. 959, dated 15th May 1928 stating that the question of preparation of detailed plans and estimates referred to in the memorandum will be taken up by the Superintending Engineer when funds are provided for the work.

pp 3 Ante

pp 20-21 Ante

I have the honour to be,
Sir,
Your most obedient servant,

K.O.Saunders 13/6

for Director of Public Instruction

Copy of letter No. 959, dated 10th May 1928 from the Chairman, Municipal Council, Bellary to the Director of Public Instruction, Madras.

Ref: Municipal High School extensions - detailed plans and estimates - preparation of

I enclose herein (1) a copy of the Executive Engineer's reply to my letter Ref. C.C. 959/28 of 15th May 1928 requesting him to send detailed plans and estimates for the value of Rs 32500/- (2) a copy of the Chief Engineer's letter also. So the condition precedent to the preparation of plans and estimates in detail is to provide funds for the work. I request you to kind see that the necessary funds are provided so that the P.W.D. may take up the preparation of detailed plans and estimates.

Enclosure.

Copy of the letter No. 3901, dated 21st May 1928 of the Executive Engineer, Bellary Division to the Chairman, Municipal Council Bellary.

Ref: Your No. Ref. G.C. 959, dated 14th May 1928.

I have xkx to inform you that the Chief Engineer in his No. 47 Wks/28 C.R dated 8th February 1928 has clearly stated that the question of preparation of detailed plans and estimates will have to be taken up by the Superintending Engineer when funds are provided for the work. This information has already been communicated to you vide my No. 1976, dated 13th March 1928. The design D.CA.No.2 of 28 is herewith returned

---

Copy of letter No. 47 Wks/28 C.R., dated 8-2-28 from the Chief Engineer, P.W.D to the Executive Engineer Bellary Division.

Extension to the Municipal High School, Bellary

--

From the Superintending Engineer, Madras Circle No. 21 W/360, dated 6th January 1928.

--

A copy of D.C.A. No.2 of 28, which has been approved by the Director of Public Instruction with an appropriate estimate amounting to Rs 32500/- is furnished to the Superintending Engineer, Madras Circle.

2. The question of preparation of detailed plans and estimates will have to be taken up by the Superintending Engineer when funds are provided for the work.

EDUCATIONAL DEPARTMENT.

ved. ..... 192 *Registered* 192



Subject.

Building - extensions - Municipal High School, Bellary.

ENCLOSURES.
No. .....
.....
Spare copies .....

R.C. No. 33-B/27.

Station Madras *Dated the* 25th July, 1928.

From (Name) R.G.GRIEVE, Esq., M.A.,

(Designation) Ag:DIRECTOR OF PUBLIC INSTRUCTION.

To The Secretary to the Government of Madras,

LAW AND EDUCATION Department.

Sir,

With reference to the Government Memorandum No. 1799-B-2 dated 15-9-27 and 1799-B-27-4 dated 25-6-28 regarding extensions to the Municipal High School building at Bellary, I have the honour to submit herewith a copy of the design D.C.A.No.2 of 1928 for the proposed extensions and an approximate estimate for Rs.32,500/-, together with letter 959.G1/28 dated 15-6-28 from the Chairman, Municipal Council, Bellary, and to state as follows:

2. The additions to the existing structure that were demanded at the time the extensions were considered in January last were for four regular class rooms. three smaller rooms for the language classes and a manual training shed. The Deputy Consulting Architect accordingly made

made provision for the seven rooms in a new block to be erected in the middle of the large open courtyard of the school building and for the manual training shed outside the building (vide the portions indicated in red in the sketch enclosed).

3. In addition to these seven rooms and the manual training shed, the Chairman now reports that provision is also necessary for a couple of tiffin rooms, a scout room and store rooms as well as for a separate lecture or examination hall, which he considers desirable, and he thinks that in the circumstances detailed in his letter, it is necessary to select a separate site outside to the North of the building for the construction of all this additional accommodation.

4. I consider that besides the extensions mentioned in para 2 supra, the tiffin rooms, store rooms and Scout room may reasonably be added, but that no additional accommodation need be made for an examination hall. The Deputy Consulting Architect was consulted again on receipt of the Chairman's letter, and he states that he totally disagrees with the Chairman's proposal to erect an independent building to the North. The open courtyard inside the school building is unusually large, almost 110' x 150' and the central building has been designed with a view to afford (i) greater ease of supervision, (ii) a convenient and dry method of getting from one side of the building to the other in wet weather, and (iii) improvement of the general appearance of the school. There would still be room for two badminton courts, one on each side of the central building. The Deputy Consulting Architect further points out that the more the huge interior courtyard can be cut up, the more the shade of adjacent buildings will be increased and the Chairman's practical

main entrance during construction, for the work can be carried out using rooms marked 5 & 13 only. Moreover the inconvenience of being unable to use two rooms will only be temporary, during the work of construction, whereas the evils consequent on the addition of a separate block outside the main building, without the amenities provided by the Deputy Consulting Architect's proposal, would be permanent.

Tiffin rooms, scout room and store rooms are obviously provisions that need not necessarily be adjacent to class rooms and can be added to the Manual Training class Block. As this arrangement suggested by the Deputy Consulting Architect provide a practical solution of the problem. I recommend his plan for adoption.

I have the honour to be

Sir,

Your most obedient servant,

H. J. Saunders 7/1

Director of Public Instruction.

Phone No. 23.

No....959-Ge/28

Enc.

From,

M. R. Ry.

N. Narayana Rao Garu, B.A., B.L.,

Chairman, Municipal Council,

BELLARY.

To

The Director of Public Instruction,

Madras.

Through

The District Educational Officer,

BELLARY.

Sir,

Municipal High School Extensions - Your R.C.No.4827 dated 9--5--1928.

I have the honour to point out to you that the accommodation provided for the use of the school in the extensions proposed is not enough as suggested by the Headmaster in his letter ~~No.~~ dated 16-3-28 copy of which is herewith sent. The Headmaster requires a couple of tiffin rooms. a Scout room. a room for depositing athletic materials and a room for Drill apparatus and appliances. in addition to the 7 class rooms and a room for the Manual Training class. The extra accommodation asked for does not cost much after all. In addition to what the Headmaster has already asked to be provided in the new extensions, I think, provision may also be made for a Lecture or an Examination Hall This request of mine may also be favourably considered by you and recommended to the Government for adoption.

ractically closed till the construction is over, as I learn from the P. W. D. Officers that the retention of the school will serio interfere with the progress of the construction of the building. Further, I am also told that a portion of the building near the m entrance has to be demolished for carrying the materials into the school quadrangle. The best site for the construction of the pro posed extensions would be to the north of the present building wh has already been decided upon in a previous conference of myself, Executive Engineer, the Headmaster and the Sub-divisional Officer the P. W. D. The selection of the site may be allowed to be set in a conference of the District Educational Officer, the Headmast the Executive Engineer and myself and the matter may be finally d cided. My Council feels very strongly in the matter that the school building is neither architectural in beauty, nor consisten with the dignity of our town, nor does it satisfy the needs o the school in any adequate manner. We feel, as many others who have visited the school have felt, that the students have been provided with all sunlight and air. In the monsoon months the school is subject to many great disadvantages. In summer, the glare from the sunlight is very ~~serious~~ severe and a great portion of the building becomes, for all practical purposes, unfit for the use of the school and during the wet weather more than halfof the school will be wet. These practical difficulties do not seem to have been considered by the designers and I request, if really the building is to be made a proper use of, the defects pointed out may be remedied at an early stage.

I have the honour to remain,

Sir,

Your most obedient servant,

Narayana Rao

Chairman, Municipal Council,
Bellary.

15628

Copy communicated to the Executive Engineer,
and the Headmaster, Municipal High School,
Bellary.

2. The proposed extension provides accommodation just enough for our present requirements and no more. The D.E.O. may be requested to represent to the D.P.I. the necessity for a couple of Tiffin Rooms, a Scout Room, a room for depositing Athletic Materials and a room to hold Drill apparatus and appliances. It - would be convenient if a good slice of work could be done during the summer vacation.

(sd) A. Bhimachar,

Headmaster.

16-3-28

(True Copy)

Narayana Rao

Chairman, M. C.

15/6/28

5. The proposed extension provides accommodation just enough for our present requirements and no more. The O.E.O. may be requested to represent to the D.P.I. the necessity for a couple of fifth Rooms, a Scout Room, a room for depositing Athletic Materials and a room to hold Drill apparatus and appliances.

would be convenient if a good slice of work could be done during the summer vacation.

Memo. 1799B/27-5-07 8.8

Building for the
unicipal high school
ellary — Extensions —
orrespondence ending with
.P.I's letter R.C.No. 38B/
3 25.7

The Govt are unable
accept the proposal of the
C.M.C, Bellarry, that the
proposed extensions to the
Municipal
high School, Bellary ~~Bellary~~ sh
be constructed on a site to
north of the present building. He is
requested to report at an
early date whether the
~~Municipal Council~~ accepts
the D.P.I's proposals with
to the extensions set out
in his letter ~~above~~ quoted above

Re D.P.I. is requested
to obtain and furnish to
Govt with his plans and estim
for the addition of
two fifth rooms, a room

room and Store room
to
the manual train
~~Class room block~~ shed

DA
3.8.28

SK
6.8.28.

33 DEPARTM...

Received ..... 192 *Registered* .....

Subject.

Extension of Municipal High School buildings

Preparation of plans and estimates - Allotment of funds.

34265

no. 34265-1 Edn/A1/28
20.8.28

Law (Edn). sept no.
20.8.28

17/8/28

ENCLOSURES.

Spare copies

No. S.C-276/28

Station Bellary, *Dated the* 9th August 192 8.

M. R. Ry,

From (Name) M. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Law (Education) Department.

Madras.

Sir,

Copy of the letter from the Executive Engineer is herewith sent to you and it shows that until the requisite money is allotted preparations of plans and estimates would not be taken up. But at my interview with you on Friday the 3rd instant, you were kind enough to tell me that money requisite for the extension of Municipal High School buildings would not be alloted till the plans and estimates are made ready. The Executive Engineer will not proceed with the preparation of plans and estimates unless he receives directions from the Chief Engineer to that effect and I request you to kindly see that necessary instructions are issued in the matter so that plans and estimates may be speedily pre-

Copy of the letter No. 3901 dated 21-5-28 from the Executive Engineer, Bellary to the Chairman, Municipal Council Bellary:-

Ref:- Your No. Ref. G.C. 959 dated 14-5-28.

I have to inform you that the Chief Engineer in hi No. 47 Wks/28 C.R. dated 8-2-28 has clearly stated that the question of preparation of detailed plans and estimates will have to be taken up by the Superintending Engineer when funds are provided for the work. This information has already been communicated to you vide my No. 1976 dated 13-3-28. The design D.CA No. 2 of 28 is herewith returned.

Received ..... *Registered*

Subject.

Extension - Municipal High School building - Council's resolution forwarded.

L S G (Edn) Dept

Bellary

Law (Edn) Dept

Com 24/10/28

24.10.28.

M 25.10.28

3053

L.Sg.No.43053-1 dtm 1/26-10-28

ENCLOSURES.

No. .....

.....

Spare copies .....

No. S.C. 276/28/19.10.28

Station Bellary. *Dated the* 17th October 1928.

M.R.Ry,

From (Name) N. Narayana Rao, Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Local Self Government Department.

Edn Madras.

L.31-32 dtd Six Ref:- Government Memorandum ~~No.~~ 1799-3-27-5 dated 8-8-28.

In forwarding herewith a copy of the Council's resolution No. 23 dated 12-10-28, I request the Government will be pleased to ~~take~~ have the preparation of the plans and estimates for the proposed extension expedited soon and necessary funds allotted for the early execution of the work.

Narayana Rao

Vice-Chairman.

19/10/28

Enclosure.

Copy of the Council's resolution No. 23 dated

The Council adopts with thanks the proposals of the Director of Public Instruction with regard to the rooms to be constructed for extending the school and requests an Examination Hall as asked for by the Chairman be also included.

The Council requests the Government to have the preparation of the plans and estimates of the proposed extensions expedited

The Council requests the Government to have the extensions constructed to the North of the building.

300813

26.11.28 G.F. 88.

DIRECTOR OF PUBLIC INSTRUCTION 29 NOV 1928

Department.

Edn. Branch.

REMINDER.

To The Director of Public Instruction

The undersigned ~~has the honour to invite~~ is directed to invite ~~invites~~ attention to the communication noted in the margin and to request that his reminder may be returned at once with information as to—

~~(1) the stage at which the matter now is,~~

(2) the date by which a reply may be expected ~~and~~

~~(3) the circumstances which have caused the~~ delay.

~~2 It is requested that the reply to this minder may be sent not later than~~

Memo. No. 1799 B/27-5 dated 8-8-28

REPLY.

R.C.No. 33 B/27 dated 21-11-28

To

The Secretary to Government,

~~Law~~ (Education) ~~Department~~,

Madras.

Resubmitted.

2. The Chairman, Municipal Council says that the plans and estimates referred to in para 2 of Government memo No.1799 B/27-5 dated 8-8-28 will be expected in his office from the Executive Engineer, Bella Division only by the middle of December 1928. They will be submit soon after receipt.

Ramanujachari 29/11

Edn Deptt

Dept St. George

(8/8/28

Signature.

Designation. Asst. Secretary to Govt

H. Ramadevamma

For Director of Public Instructi--

T.R 23/11

SUI

Edn Dept

25 NOV 1928

Edn Dept

Re Primary Schools

Bellary - extensions

Received .....192 *Registered* 192

Subject.

Municipal High School, B e l l a r y - extension of high school building.

ENCLOSURES.
No .....
.....
Spare copies.....

R.C. No. 33 B/27

Station M a d r a s , *Dated the* 14- 12- 28 19

From (Name) R.G.Grieve Esq., M.A., F.R.G.S.,
(Designation) Ag.Director of Public Instructio
M a d r a s.

To.The Secretary to the Government of Madras,
Law Education Departm

Sir,

Letter Ref.J.C.1753 dated 30-11-28 from the Chairman,Municipal Council, Bellary addressed to Government.

Submitted to Government with reference to Memo No.1799 B/27- 5 dated 8- 8- 28 and in continuation of this office letter R.C.No.33 B/27, dated 21-11-28.

2. Regarding the playground referred to in para 2 of the Chairman's letter, attention is invited to my letter R.C.No.2964 B/27 dated 14- 12- 28

for Director of Public Instruction

A.R. 17/12/28

Received ..... 192 . *Registered* .....

Subject.

Extension of Municipal High School Buildings - Preparation of Plans and - - Estimates.

ENCLOSURES.
No. Two
Spare copies .....

Rc/Gc No. 1753/30m28

Station Bellary. *Dated the* 21st November 1928

M.R.Ry,

From (Name) N. Narayana Rao Garu, B.A., B.L.,

(Designation) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Local Self Government Department.
Madras.

Through the Director of Public, Madras and
The District Educational Officer, Bellary.

Sir,

Copy of letter from the Executive Engineer, Bellary No. 8011 dated 19-10-28 is herewith sent to you and it - - shows that the preparation of plans and estimates have to be deferred till about the middle of December 28. A copy of the letter from the Headmaster, Municipal High School (herewi sent) regarding the serious disadvantages to which the institution is put will give wider details in the matter. I - - therefore request that you will be so good as to address the Superintending Engineer, Madras to issue necessary instructio to the Executive Engineer to arrange for the speedy preparation of plans and estimates.

As regards the provision of a play-ground for the school, the Council in their resolution No. 19 dated 10-11-28

10-11-28 have agreed to pay one half of the cost and I have in my letter dated 13-11-28 communicated a copy of this resolution to the Director of Public Instruction with whom the plans and estimates are pending for administrative sanction. His reply is awaited.

Vice-Chairman.

Copy of letter No. 3398/13-10-28 from the Sub Divisional Officer, Bellary to the Ex.Engineer, Bellary:-

Ref. Dl. No. 7223 dated 21-9-28 Extensions to the Municipal High School, Bellary.

As the section officer, Bellary has got much pressure of work now, he reports that the reference will be disposed of by the end of November 1928. The reference may reach the Division - - Office by the middle of December 1928.

No. 8011 dated 19-10-28.

Forwarded to the Chairman, Municipal Council, Bellary for information with reference to his No. 1753/13-9-28.

T. Grant,

Ex. Engr., Bellary Dn.

****

11

Copy of the letter No. 413 dated 9-11-28 from the Headmaster Municipal High School, Bellary to the Chairman, Municipal Council, Bellary through the District Educational Officer, Bellary:-

I have the honour to remind you, with a feeling of considerable regret, that nothing definite has yet been done in the matter of the very badly needed additional accommodation for the School. The location of some classes in the old School-building is a serious disadvantage, militating muchagainst the good organisation and discipline of the School as a whole. Then again there is the Manual Training class in the same building which necessitates frequent locomotions of the classes to and fro, i.e., the new building to the old ~~building~~ and from the old to the new. My visits to that building can only be few and far between and on that account supervision cannot be deemed very satisfactory, As regards working of the classes in that building, I have much to depend upon the honesty and sincerity of the teachers working there, most of whom, luckily, I am glad to say, are not idle loungers.but active workers. I therefore request you will be pleased to press the Government hard on the matter so as to enable us to have the

the additional accommodation by the beginning of the next school-year at least. It is a petty affair after all if the Government should only take it up into their serious consideration.

In this connection, I would also remind you of a play-ground for the school, the want of which, I submit, has been a serious handicap. I am sorry that, at the last Summer-Club Tournment (foot-ball) the play exhibited by our boys was far from being edifying and the team could not survive even the first rounds, a result which could only be ascribed to want of constant and uniform practice in a ground which they could call their own. The High School Team had a reputation for hardihood, good sustaining power and fair play. This time, unfortunately, these virtues were -- conspicuous by their absence and the moment the opposing team stole a goal over the school team, to speak to you my heart, I felt -- considerably humiliated, hung down my head and quitted the ground not feeling induced to stay there till the game was over. For boys to take part in a tournment, they must practice uniformly from year's beginning to year's end and to enable them to do this they must have a ground of their own without having to depend upon the tendermercies of others. My last communication to you on the subject was on the 24th of January 1928. At what stage of correspindence the matter is at present; I do not know. If it lies in your power, I would most humbly request you to take the matter into your serious consideration and kindly see that the school is furnished with a suitable play-ground at a very early date. If on the other hand the matter is in the hands of the Government, kindly press the matter upon their attention. In these days when such great stress is laid on the importance of Physical Culture, a good play-ground is an absolutely necessity.

N.Dis.1435/28/12-11-28.

Forwarded to the Chairman, Municipal Council, Bellary for favour of necessary action.

(sd) K. Sankaramenon,

C.No. 7997/27

Memo. 17998/27 & 9.1.29

Building for the Municipal High School, Bellary — Extensions — Letter from the C.M.C, Bellary No. S.C. 276/28 & 19.10.28 No. 1753 & 30.11.28.

The C.M.C, Bellary informed that, as stated in Memo. no. 17998/27-5 & 8.8.28, the Govt are unable to accept the proposal of the Corpn that the extension to the Municipal High School may be located to the north of the present building

2. The D.P.I requested to obtain and submit to Govt the rough plans and estimates called for in para 2 of the Memo referred to above. The Director of Public Instruction considers that an Examination hall is necessary.

3.1.29

Municipal Office, Bellary.

Dated...17th...Jan.....192 9

No.....S.C 276/28

Enc.

From,

M. R. Ry.

N. Narayana Rao Garu, B.A., B.L.,
Chairman, Municipal Council
BELLARY.

M.R.Ry,

R. Nagana Gowd Garu, M.L.C.

Bellary

Sir,

Copies of the correspondence herewith sent shows that the - - Government insists upon the extension to the New High School to be constructed in the open quadrangle inside the school building. I had protested against such construction within the quadrangle and had suggested the same to be constructed in the open space to the north of the present building and my protest has been backed up by a resolution of the - - Council. The Director of Public Instruction who had been addressed by a D. O. to go to Bellary and personally inspect and settle the question has replied that there is no use of his coming over here as it is a settled question and the Government also have declined to accept the - - proposals of the Council to have the construction to the north of the building. Such construction is in my opinion and in the opinion of the Council is bound to impair the usefulness of the quadrangle and at the same time mar the little beauty which the building has at present. The Council's view have been summarily rejected even in small matters like this and if the site had been personally inspected either by - - Director of Public Instruction or the Consulting Architect I am sure either of them would have agreed with the Council's views. This is a matter in which I request you to personally interest yourselves and try your best to have the extension constructed to the north of the present building.

Further either the present building or the new extension is

not provided with an Examination hall. The school is/rapidly progressing one. its present strength being 700. The Headmaster as well as myself and the Council repeatedly requested the Government for an Examination hall but the Government has stoutly declined to comply with the request. Now is the time to press for an Examination hall being provided. I am sure you will agree with me in the reasonableness of my request and try to obtain an Examination hall for the school. I may first point out to you that for want of an Examination hall, the Municipal High School which had been a centre for S.S.L.C. examinations for the last 17 years has, this year been removed as such and Wardla School has gained what this school has lost.

Narayana Rao.

20. Letter C.A. 389 dated 17-11-26 from the Headmaster, Municipal High School submitting a report on the accommodation of the New High School now under construction.

21. Office note dated 7-4-27 for passing resolutions in regard to the following points.

(1) Acquisition of the Police Hospital for the use of the High School and the alterations to be effected to it so as to suit the requirements at a cost of Rs 10,000/-.

or (2) Extension of the new school building itself at a cost of Rs 27,000/-.

(3) Provisions of glass and wooden shutters to all the - - windows of the new school building to prevent exposure of the rooms to Sun and rain.

Resolution:-

The Council approves of the suggestions of the Headmaster of the Municipal High School with regard to the alterations and additions to be made in the New High School Building under construction and requests the Government to kindly have the suggestions given effect to as detailed in paras 4, 6, 7 & 8 of the Headmaster's letter. The Government is further requested to provide glass as well as wooden - - shutters and also Sun shades to all the windows of the school as - - otherwise it will be seriously exposed to Sun and rain.

As the new school does not provide accommodation for the full strength of the school and as there is no other building easily available near by which can be made suitable for the use of the school without incurring very heavy cost, the Council requests the Government to provide another block buildings at its own cost which should consist of class rooms, a big room for the Manual Training class and an Examination Hall and give it to the Council on the same terms as the one under construction.

Extract of paras4, 6 & 7 from the Headmaster's letter No. 389 dated 17-11-26:-

4. Additions to the New Building.

A block of buildings providing accommodation for the Manual Training class (according to type-design), the four sections of the 4th and 5th classes and the three Vernacular classes, Viz: Kanarese, Sanskrit and Urdu, this block of buildings to be built x east and west in the rear of the present new building.

6. In addition to the above, I would beg to suggest that the Government be requested to provide doors for the latrines and urinals, as otherwise they will, I fear, be no more than public latrines and urinals, the seats of filth and nuisance, contaminating the physical atmosphere of the school and its environments. I make this suggestion, as I learn from the Government Overseer in charge of the building, that no provision has been made in the sanctioned estimate for doors to these structures.

7. It may also be suggested to the Government, that while providing for ordinary, plain blackboards in the walls of the class rooms, provision may also be made for Graph Blackboards side-by-side with plain black-boards, as graphs have to be taught in all classes, 1 Form upwards.

****

Copy of G.C.No. 2209/11-10-27:-

Copy of Proceedings R.O.C.No. 33-B/27 dated the 26th September 1927 from the Director of Public Instruction, Madras.

Ref:- letter R.C.No. 48/27 dated 7-4-27 from the District Educational Officer, Bellary.

A copy of the Government Memorandum No. 1799-B-2 dated 15-9-27 is herewith forwarded to the District Educational Officer, Bellary and he is requested to be good enough to obtain from the

-xecutive

xecutive Engineer the plans and estimates rererred to and to submit the ame to this office with his remarks. A copy of the Director's letter t.C.No. 33-B/27 dated 1-6-27 to Government is also enclosed for information and guidance.

2. The report and rough estimate called for in para 2 of the emorandum should also be submitted.

3. In additions to the plans referred to above a site plan - - howing the relative position of the existing buildings, and the pro- osed structures, the position of the north point of the trial pits nd other necessary particulars should also be submitted. A fresh imensioned sketch plan of the existing building showing the positio nd dimensions of doors and windows and the use to which each room i o be put should also be submitted.

4. This reference should be treated as urgent.

.C.No. 48/27.

Forwarded to the Ex. Engineer, Bellary for favour of ompliance.

Dt. Educational Officer.

Copy to the Chairman, Municipal Council, Bellary

Copy forwarded to the Headmaster, Municipal High School, Bellary avour of early submission of the sketch etc. called for in the last entence of para 3 of the Director of Public Instruction's letter and he report and the rough estimate called for in para 2.

Education Department.

Memorandum No. 1799 B-2, dated the 15th September 1927.

From the Chairman, Municipal Council, Bellary, No. C.C. 182 dated 21st April 1927.

From the Director of Public Instruction, R.O.C.No. 33-F dated 1st June 1927.

Subject:- Building for the Municipal High School, Bellary.

The Director of Public Instruction is requested to obtain and submit to Government plans and estimates for the additions and - improvements to the above building which are specified in paragraphs

3. The Director is also requested to report whether any further extension to the buildings will be required in the near future and if so, to furnish an approximate estimate for the cost of such extensions.

3. The Chairman, Municipal Council, Bellary, may address Government separately through the Director of Public Instruction in regard to the provision of the play-ground for the school.

Sitaramayya
Secretary to Government.

Copy of Director's letter R.C.No. 33-B/27 dated 1-6-1927 to the Secretary to Government, Local Self Government.

With reference to Government Memorandum No. 37376-1 Local A., (A-1) dated 22-12-26 and 14319 A-1 Local A., dated 2-5-27.

I have the honour to submit the letters cited on C.No. 132/26 dated 4-12-26 and 21-4-27 from the Chairman, Municipal Council, Bellary and to state as follows:-

2. The Municipal High School, Bellary is at present working in 20 sections and instruction is imparted in the marginally noted options subjects and also in Sanskrit. Accommodation for 9 classes-rooms a physics laboratory with provision for a theory class, a chemistry laboratory with provision for a theory class; commercial room; Headmaster's and office room, Assistant masters room; Library and small rooms for Sanskrit, Kannada and Urdu classes is - - therefore necessary. The Manual Training class working since 9-6-26 is now held in a temporary shed (53' X 22') constructed for the pirpose in the compound of the High School building. If the school is shifted to the new building, accommodation will be necessary for the manual training class also. Attention is in this connection invited to my letter R.C.No. 176-B/26 dated 27-1-27. The new building at an estimated cost of Rs 56,000/- the construction of which has been sanctioned in G.O. No. 1674-L dated 27-10-25 is not sufficient to provide the accommodation required. The following additions will be necessary.

(a) Mathematics and Physics.
(b) Physics and Chemistry.
(c) History and Vernacular.
(d) Commercial subjects.

(1) 4 class rooms for the 4th and 5th classes which have two sections. (2) 3 smaller class rooms for Sanskrit, Kanarese & urdu classes. (3) One hall for the manual training class.	Provision for (a) a water and a tiffin shed (b) a lumber room for games and scout troop materials (c) doors for latrines and urinals and (d)

graph black-boards in addition to the ordinary blackboards for which - - provision has been made are also desirable. Ultimately provision for a play-ground will also be necessary.

3. The suggestion made to obviate the Police Hospital buildings which are very near the new buildings under construction and to make them suitable for school purposes at a cost of Rs 4000/- does not appear to be acceptable. The capital cost of the Police Hospital buildings is Rs 6184/- and the total extra cost will therefore amount to Rs 10,200/-. The Chairman, Municipal Council states that this building even after improvements will not be as good as a new building and cannot meet all the requirements suggested above. Further the alienation of the - - Police hospital buildings was refused twice by Government. Vide G.Os. Nos. 2819 L & M., dated 2-7-26 and 4934 L & M., dated 19-11-26. I therefore think that it would be better to abandonned the idea of acquiring the Police hospital building and construct instead an additional block providing for classes 4 and 5 and for language classes with a wing in which the manual training work could be done.

4. Attention is in this connection invited to the Headmaster's letter dated 17-11-26 which contains suggestions to be carried out in the new buildings under construction i.e., (i) provision of doors for the latrines and urinals (ii) provision of plain black boards in the walls of the class rooms and (iii) provision of graph black boards. The Council has accepted the suggestions. These seems to be necessary and Government may therefore request the P.W.D. to give effect to the same.

5. The Headmaster also suggests to make provision for a play-ground. As the District Educational Officer has not offered any remarks on this suggestion and as it requires further investigation the Chairman, Municipal Council may be advised to address Government separately on the subject through me.

Copy of the letter No. 412 dated 28-10-27 from the Headmaster, Municipal High School, Bellary to the District Educational Officer, Bellary through the Chairman, Municipal Council, Bellary:-

With reference to your R.C.No. 48/27 dated 8-10-27, I have the honour to submit herewith a rough plan which I trust will at once indicate the new building with the various classes located in it and the additional accommodation immediately required to make the building -- complete in itself. The additional accommodation indicated in red ink, will satisfy all the present requirements of the school which are as -- detailed below:--

(1) A Manual Training Class.
(2) Seven Class Rooms.
(3) An Examination or a Lecture Hall
(4) A Scout Room .
(5) A Room for storing Game materials
(6) Three tiffin rooms.

The plan drawn up by a lay man may not appeal to the eye of an expert. It may be taken for what it is worth.

I beg to suggest in this connection that the new structure be provided with a flat roof and not a gabled roof, so as to admit of expansion, should there be a need for it.

It is also suggested that, in the present new building, the window directly opposite to the entrance be replaced by a doorwayso as to admit of a nearer approach to the urinals and the latrines from behind the building.

Copy of the Note No. 444/9-11-27 of the Headmaster, Municipal High School, Bellary:-

2. At a personal interview with the Executive Engineer on the 6th instant at which the Chairman was also present, the requirements of the school were explained to that officer, who, I am sure, will do whatever is necessary to be done in the matter.

3. This correspondence may, I submit, be transmitted to the District Educational Officer, Bellary, who, perhaps will correspond directly with the Executive Engineer.

****

Copy of the letter G.C. 2419/24-11-27:-

Copy of letter No. 467 dated 16-11-27 of the Headmaster, Municipal High School, Bellary:-

With reference to your R.C. No. 48/27 dated 11-11-27, I have the honour to state that a rough sketch of the additional requirements for the High School has been submitted to your office through the Chairman, Municipal Council, Bellary and I trust it will reach you in due course.

At a personal interview with the Executive Engineer when the Chairman, Municipal Council, was also present, this rough sketch was shown to him. He did not quite approve of the manner in which the additional block of buildings was suggested to be tacked on to the present new building, but said that he would make his own suggestions as to the position of the additional halls and rooms. The matter is now practically in the hands of the Executive Engineer and for any further information on the subject, I request you will be pleased to address that officer.

The question of trial pits, etc., is purely technical and regret my inability to furnish you with any information on this point

.C.No.48/27/21-11-27.

Forwarded to the Chairman, Municipal Council, Bellary.

2. It is requested that the following particulars from the Executive Engineer, Bellary may kindly be obtained and forwarded at your earliest convenience.

(i) Plans and estimates for additions and improvements to the Municipal High School building which are specified in paras 2 to 4 in letter R.C. 33-B/27 dated 1-6-27 of the Director of Public Instruction, Madras addressed to the Secretary to Government, Local - - Self Government, Madras.

(ii) The report and the rough estimate etc. called for in para 2 of the proceedings R.O.C.No. 33-B/27 dated 26-9-27 of the - - Director of Public Instruction.

existing building and the proposed structures the position of the existing building and the proposed structures the position of the north point of the trial pits together with a rough dimensioned sketch plan of the existing building showing the position and dimensions of doors and windows and the use to which each room is to be put, as required in para 3 of the proceedings quoted above.

3. The plan of the new Municipal High School building showing proposed extension together with Headmaster's letter No. 412 dated 28-10-27 received with the Chairman's endorsement R.G.C.No. 2419 dated 11-11-27 is herewith returned.

4. The reference may kindly be treated as urgent as an immediate reply is to be submitted to the Director.

Copy to the Executive Engineer, Bellary in continuation of this office R.C.No. 48/27 dated 4-10-27 and 11-11-27 for favour of early - - compliance through the Chairman, Municipal Council, Bellary.

****

Copy of letter No. G.C. 2591/25-11-27:-

Copy of letter No. 9753/23-11-27 from the Executive Engineer, Through the Suptg. Engineer, Madras Circle, Madras Bellary to the Consulting Architect to the Government of Madras/and copy to the Chairman, Municipal Council, Bellary:-

Bellary Municipal High School - Extensions to the -

In forwarding herewith a copy of R.C.No. 48/27 dated 4-10-27 from the District Educational Officer, Bellary with a site plan showing the building as constructed as per design D.C.A.No.14 & 15 of 1926 I have to request that you will be kind enough to furnish me with necessary detail plans and estimates for the proposed extensions requisitioned in the Director of Public Instruction's Proceedings No. R.O.C. 33-B/27 dated 26-9-27.

A sketch plan showing the existing and the proposed extensions for the main building prepared in consultation with the Headmaster and Chairman, Municipal Council, Bellary is herewith sent for information. Designs for the Tiffin sheds, Manual Training class for 40 students may kindly be got prepared and estimated for.

****

Copy of reference G.C.2711/10-3-28.

Copy of note No. 687/7-3-28 of the Headmaster, Municipal High School, Bellary:-

With reference to his Ref. G.C.2711 dated 6-3-28.

I do not think there is any use in suggesting additions or alterations to this plan which is almost dead, having been superceded by a plan sent by the Executive Engineer to the Government Architect. At a conference held some months ago in the new building, of the - - Chairman, Executive Engineer, the Sub Divisional Officer, this plan was discussed and it was condemned by the Executive Engineer.

Approval by the Government Architect of the plan sent in by the Executive Engineer is eagerly awaited. The plan is herewith retransmitted.

****

Copy of reference G.C. 2711/17-3-28.-

Copy of the note dated 16-3-28 of the Headmaster, Municipal High School, Bellary:-

2. The proposed extension provides accommodation just enough for our present requirements and no more. The D.E.O. may be requested to represent to the D.P.I. the necessity for a couple of Tiffin Rooms, a Scout Room, a Room for depositing Athletic materials and a room to hold Drill apparatus and appliances. It would be convenient of a good slice of work could be done during the summer vacation.

****

Copy of letter Ref. C.C. 2711/27 dated 21-3-28 from the Chairman, Municipal Council, Bellary to the District Educational Officer, Bellary:-

Ref:- Your R.C.No. 48/27 dated 27-2-28.

I forward herewith the plans and estimate for the extension of the Municipal High School as prepared by the Deputy Consulting Architect Madras and transmitted by the Executive Engineer, Bellary. Please address the Director of Public Instruction with all the necessary records and see that the proposed extension of the school is fallen on hand as early as possible.

In this connection I have to inform you that the Headmaster of the Municipal High School to whom these plans and estimates were referred to for remarks as to the adequacy of the additional accommodation proposed says that the proposed extension provides accommodation just enough for the present requirements of the school and no more and that the provision will have to be made for a couple of tiffin rooms, a scout room and two rooms, one for depositing atheletic materials and the other for drill apparatus and appliances. With the provision of the above said additional accommodation, the building will be far from being remarked as inadequate or inconvenient. The necessity for this request may be - - rightly represented to the Director of Public Instruction and orders obtained before the work of effecting the extension is taken on hand. A copy of the remarks of the Headmaster, Municipal High School is - - herewith sent for your information. The favour of early action in the matter is requested, as major portion of work the work may be got executed during the ensuing summer holidays when the school will not be - - at work.

****

Estimate Form - Abstract.

Item No.	Quantity	Description of work	Rate	per	Amount	Total
		Municipal High School, Bellary - Extensions Drawing No. D.C.A.2 of 1928 approximate estimate.				
	87185 cft.	Class rooms, double storied portion in centre	0-3-6	cft.	19070/-	
	7515	Connecting corridors and passage	0-2-6	,,	1175/-	
	64704	Manual Training shed.	0-3-0	,,	12135/-	
				Total	Rs.	32380/-

or say Rs 32500/-.

(sd) H.F. Tasker Taylor,
26-1-28.

Dy. Consulting Architect to Govt.

(True Copy)

****

Copy of reference G.C. 930/20-4-28:-

Copy of reference R.C.No. 33 B/27 dated 14-4-28 of the Director of Public Instruction, Madras:-

Read the following:-

Letter R.C.No. 48/27 dated 24-3-28 from the District Educational Officer, Bellary, regarding additions to the school building, Municipal High School, Bellary;
Also Government Memorandum No. 1799 E-3 dated 26-3-28.

A copy of the Government Memorandum No. 1799 E-3 dated 26-3-28 is herewith communicated to the District Educational Officer, Bellary, with reference to his endorsement R.C.No. 48/27 dated - - 4-1-28, and he is requested to be good enough to obtain from the Chairman, Municipal Council for submission to the Director, detailed estimates (i) for Rs 32,500/- for the extensions to the school building as suggested in D.C.A.2 of 28 (herewith enclosed) (ii) for providing a water and a tiffin shed; a lumber room for games and scouts troop materials; doors for latrines and urinals; Plain and graph black-boards in the walls of the existing building and of the proposed - -

proposed extensions.

2. The Deputy Consulting Architect design No. 2 of 1928 should be returned along with the estimates at a very early date.

Copy of Education Department Memorandum No. 1799 D-3, dated 26-3-1928.

Building of the Municipal High School, Bellary - extensions - Chairman's letter reference G.C.No. 101, dated 17th February 1928.

The Government are unable to accept the proposals of the Chairman, Municipal Council, Bellary that the building recently constructed at the cost of Provincial funds for the Municipal High School, Bellary may be converted into a hostel and that another building in accordance with the type-design for secondary schools may be constructed for the school. The Chairman is requested to submit to Government through the Director of Public Instruction, the plans and estimates for additions and improvements to the present building called in para 1 of Memorandum No. 1799 B-2 dated 15th September 1927 at an early date.

****

Copy of this office letter Ref. G.C. 959/15-6-28 to the Director of Public Instruction, Madras through the District Educational Officer, Bellary:-

Municipal High School extensions - Your A.C.No. 4827 dated 9-5-28.

I have the honour to point out to you that the accommodation provided for the use of the school in the extensions proposed is not enough as suggested by the Headmaster in his letter dated 16-3-28 copy of which is herewith sent.(Vide page 9 G.C.2711/17-3-28). The Headmaster requires a couple of tiffin rooms, a scout room, a room for depositing atheletic materials and a room for drill apparatus and appliances, in addition to the 7 class rooms and a room for the Manual Training class. The extra accommodation asked for does not cost after all. In addition to what the Headmaster has already asked to be provided in the new extensions, I think, provision may also be made for a Lecture or an Examination Hall. This request of mine also be favourably

considered by you and recommended to the Government for adoption.

2. From the plan, I find that it is proposed to have a two storied building to accommodate 3 classes below and 4 above in the middle of the quadrangle of the new High School. I have to protest against such construction in the middle of the school building, for it spoils both its present design and beauty. It cuts off the school into two portions and, further, the school will have to be practically closed till the - - construction is over, as I learn from the Officers that the - - retention of the school will seriously interfere with the progress of the construction of the building. Further, I am also told that a portion of the building near the main entrance has to be demolished for carrying the materials into the school quadrangle. The best site for the construction of the proposed extensions would be to the north of the present building which has already been decided upon in a previous conference of myself, the Executive Engineer, the Headmaster and the Sub Divisional Officer of the P. W. D. The selection of the site may be allowed to be settled in a conference of the District Educational Officer, the Headmaster the Executive Engineer and myself and the matter may be finally decided. My Council feels very strongly in the matter that the school building is neither architectural in beauty, nor consistent with the dignity of our town, nor does it satisfy the needs of the school in any adequate manner. We feel, as many others who have visited the school have felt, that the students have been provided with all sunlight and air. In the monsoon months the school is subject to many great disadvantages. In summer, the glare from the sunlight is very severe and a great portion of the - - building becomes, for all practical purposes, unfit for the use of the school and during the wet weather more than half of the school will be wet. These practical difficulties do not seem to have been considered by the designers and I request, if really the building is to be made a proper use of, the defects pointed out may be remedied at an early stage.

Copy of reference G.C. 959/27-8-28:-

Copy of letter R.C.No. 33-B/27 dated 25-7-28 from the Director of Public Instruction, Madras, to the Secretary to Govt Law and Education.

With reference to the Government Memorandum No. 179-B-2 dated 13-9-27 and 1799-B-27-4 dated 25-6-28 regarding extensions to the Municipal High School building at Bellary, I have the honour to submit herewith a copy of the design D.C.A. No. 2 of 1928 for the proposed - - extension and an approximate estimate for Rs 32,500/- together with - - letter 959 G1.28 dated 15-6-28 from the Chairman, Municipal Council, Bellary and to state as follows:-

2. The additions to the existing structure that were demanded at the time the extensions were considered in January last were for four regular class rooms, three smaller rooms for the language classes and a manual training shed. The Deputy Consulting Architect accordingly made provision for the seven rooms in a new block to be erected in the middle of the large open courtyard of the school building and for the manual training shed outside the building (vide the portions indicated in red in the sketch enclosed).

3. In addition to these seven rooms and the manual training shed the Chairman now reports that provision is also necessary for a couple of tiffin rooms, a scout room and store rooms as well as for a separate lecture or examination hall, which he considered desirable, and he think that in the circumstances detailed in his letter, it is necessary to select a separate site outside to the North of the building for the construction of all this additional accommodation.

4. I consider that besides the extension mentioned in para 2 supra, the tiffin rooms, store rooms and scout room may reasonably be added, but that no additional accommodation need be made for the an examination hall. The Deputy Consulting Architect was consulted again on receipt of the Chairman's letter, and he states that he totally disagrees with the Chairman's proposal to erect an independent building to the North. I agree with him. The open courtyard inside the school building is unusually large, almost 110' X 150', and the central building

building has been designed with a view to afford (i) greater ease of supervision (ii) a convenient and dry method of getting from one side of the building to the other in wet weather and (iii) improvement of the general appearance of the school. There would still be room for two badminton courts, one on each side of the central building. The Deputy Consulting Architect further points out that the more the huge interior courtyard can be cut up, the more the shade of adjacent buildings will be increased and the Chairman's practical objection to glare obviated He observes also that there will be no necessity to demolish rooms near the main entrance during construction, for the work can be carried out using rooms marked 5 & 13 only. Moreover, the inconvenience of being unable to use two rooms will only be temporary, during the work of construction, whereas the evils consequent on the addition of a separate block outside the main building, without the amenities provided by the Deputy Consulting Architect's proposal, would be permanent.

5. Tiffin rooms, scout room and store rooms obviously provisions that need not necessarily be adjacent to class rooms and can be added to the Manual Training Class Block. As this arrangement suggested by the Deputy Consulting Architect provides a practical solution of the problem, I recommend his plan for adoption.

Copy of Proceedings R.C.No.33-3/27 dated the 13th August 28 from the Director of Public Instruction, Madras:-

Read:- Government Memo No. 1799-I/27-5, Education dated 3-8-28.

Building for the Municipal High School, Bellary - Extensions - Correspondence ending with Director of Public Instruction's letter R.C. No. 33-3-/27 dated 25th July 28.

The Government are unable to accept the proposal of the Chairman Municipal Council, Bellary, that the proposed extensions to the Municipal High School, Bellary, may be constructed on a site to the North of the present building. He is requested to report at an early date whether he accepts the Director of Public Instruction's proposals in regard to the extensions set out in his letter quoted above.

2. The Director of Public Instruction is requested to obtain and furnish to Government rough plans and estimate for the addition of two

two tiffin rooms, a scout room and store rooms to the manual training shed.

R.C.No. 48/27/22-3-28.

Forwarded to the Chairman, Municipal Council, Bellary with reference to his R.C.No.959/28 dated 15-6-28 for favour of early compliance as required in para 2 of Government Memo.

(sd) A. Sankaramenon,

Dt. Educational Officer.

*** ************

Copy of reference G.C. 276/17-8-28:-

Copy of note No.237/15-8-28 of the Headmaster, Municipal High School, Bellary:-

2. In the face of expert opinion and of the decision arrived at by the Director of Public Instruction, the head of the Educational department, it would simply be presumptuous on my part to venture to express an opinion of my own. As a man on the spot and as one whose field of activity is the school building and its premises, I would most humbly beg to indicate that cutting up the open quadrangle into two would considerably mar the beauty of the structure.

As regards the Examination Hall, I would, with all the emphasis, I am master of reitorate that it is very necessary. It is a Sina qua non. Year after year, the S.S.L.C. Public Examination for which more than a hundred candidates appear at this centre, has to be held; then there are the periodical examinations of the school, and then there will be a number of occasions where the pupils have to be gathered in one place any for these purposes, there is absolutely no accommodation. It is therefore requested that the Chairman will kindly address the Government once again on the subject and procure for the school additional accommodation in the manner in which we want it and an examination hall as well.

Copy of Council's resolution No. 23 dated 12-10-28:-

Read:-

23. Government Memorandum No. 1793-3/27-5 dated 3-8-28 regarding the additional accommodation to be provided for the new High School building.

Resolution:-

The Council adopts with thanks the proposals of the Director of Public Instruction with regard to the rooms to be construc for extending the school and requests an examination hall as asked for by the Chairman be also included.

The Council requests the Government to have the preparati of the plans and estimates of the proposed extensions expedited.

The Council requests the Government to have the extensions constructed to the North of the building.

Carried by 12 to 3.

One neutral.

For

1. Messrs, Chairman
2. J. P. Cotelingam
3. A. Subramanyam
4. B. Bhima Rao
5. K. Haribasappa
6. Abdul Nabi Sahib
7. Ramiah
8. Abdul Rahiman Sahib.
9. Gali Haribasappa
10. C. Haribasappa
11. Virupanna
12. S. Channubasappa

Against.

1. Messrs, A. Gopalaswami Mudaliar.
2. C. Balaji Rao
3. T. Subbuchetty
4. H. Rangana Gowd
5. K. Gundachar
6. Abdul Wasith Sahib.
7. Abdul Gaffaar Sahib.
8. Abdul Aye.

A.V. Srinivasachariu Neutral.

****

Copy of D.O. dated 4-12-28 to the Director of Public Instruction (Mr. Grieve) Madras:-

Regarding extension of Municipal High School.

My last letter to the Government in the above connection has been sent through you on 30-11-28. If the new block is to be constructed in the middle of the quadrangle, the present buildings will be entirely spoiled. The quadrangle should be kept as it is and the new block -- should be constructed to the north of the present building. I think this question can easily be settled if you can kindly go over to Bellary and personally examine the question yourself. I request you to kindly go over here very urgently and to intimate to me the date of your arrival.

****

Copy of Government Memorandum No. 1799 B/27-6 dated 9-1-29.

Building for the Municipal High School, Bellary - extensions.

Letters from the Chairman, Municipal Council, Bellary No. S.C. 5/28 dated 19-10-28 and No. 1753 dated 30-11-28.

The Chairman, Municipal Council, Bellary is informed that, as already stated in Memo No. 1799 B/27-5 dated 3th August 1928, the Government are unable to accept the proposal of the Council that the -- extensions to the municipal high school may be located to the north of the present building.

2. The Director of Public Instruction is requested to obtain and submit to Government the rough plans and estimates called for in -- paragraph 2 of the memorandum referred to above. They do not consider that an examination hall is necessary.

****

S Narayana Rau

Chairman, B.M.C.

Received 6 APR 1929 SECRETARY TO GOVERNMENT, LOCAL SELF-GOVERNMENT DEPARTMENT. Registered 192

13423

Subject.

Municipal High School - Extensions thereto - Revision of orders already issued - Your Memo No.1799 B - 27 dated 9 - 1 - 1929 -

Law (Edn) dept no.

13 APR 1929

11-4-29.

9/4/29

9.4.29

S No. 276/28

Enclosures.
No.
Spare copies

Station Bellary, Dated the 26th MARCH 1929.

From (Name) M.R.Ry.N.Narayana Rao Garu, B.A.,B.L.,

(Designation) Chairman, Municipal Council.

To The Secretary to the Government of Madras,

Local Self Government Department.

MADRAS.

Sir,

In the above memorandum Government has declined to consider my proposal to have the extension buildings constructed to the north of the present school. Both the Directo of Public Instruction and the Consulting Architect have opine that the extension buildings should be constructed in the quadrangle of the school. Unfortunately neither of them has seen the school after construction nor its neighbourhood and though I invited the Director to go to Bellary and decide the matter after personal inspection, he has declined to do s (Copies of my invitation and his reply are herewith sent)

In matters where there is a difference of opinion between experts and Local bodies, I feel that a visit to the

ocality concerned

locality concerned would clear up all differences and it is very likely opinions once formed, may be changed. The Hon'ble the Chief Minister has seen the school, as it was opened by him.

3/ I once more request the Government to reopen the question and to have the matter settled satisfactorily and to allow the Council to have the extension buildings constructed to the north of the present school

G Nimmo
Chairman.
29/3

12/3.

Copy of D.O. dated 4-12-1928 to the Director of Public Instruction (Mr. Grieve) M a d r a s

Regarding extension of Municipal High School

My last letter to the Government in the above connection has been sent through you on 30-11-1928. If the new block is to be constructed in the middle of the quadrangle, the present buildings will be entirely spoiled. The quadrangle should be kept as it is and the new block should be constructed to the north of the building. I think this question can easily be settled if you can kindly go over to Bellary and personally examine the question yourself. I request you to kindly go over here urgently and to intimate to me the date of your arrival.

****

Copy of the Govt. Memorandum No.1799 B/27-6 dated 9-1-1929.

Building for the Municipal High School, Bellary - Extensions.

Letters from the Chairman, Municipal Council, Bellary No. G.C. 276/28 dated 19-10-1928 and No.1753 dated 30-11- 1 9 2 8

The Chairman, Municipal Council, Bellary is informed that, as already stated in Memo No.1799 B/27-5 dated 8th August 1928, the Governme are unable to accept the proposal of the Council that the extensions to the Municipal High School may be located to the north of the present building.

2. The Director of Public Instruction is requested to obtain and submit to Government the rough plans and estimates called for in paragraph 2 of the memorandum referred to above. They do not consider that an examination hall is necessary.

****

Received ... 27 MAY 1929 SECRETARIAT TO GOVT. L.S.G. DEPT. ... 192 Registered ... 192

Subject ... 31 MAY 9 ...

Municipal High School - Extension thereto - Your Memo No. 1799 B - 27 dated 9-1-29 - Revision of the same requested.

ENCLOSURES.
No. ...
... copies ...

Station Bellary. Dated the 15th May 192 9.

To the Government of Madras,
Local Self Government Department.
Ootacamund.

From (Name) N. Narayana Rao Garu, B.A., B.L.,
Chairman, Municipal Council.

R.Ry,

Edn Dept.

C No. 1501 B/29 ~~1799 B/27~~

Memo 1501B-1078.6.29

Building for the Municip
high school, Bellary - ~~Edn~~
extensions - Corresponde
ending with Chairmans lett
No. S.C. 276/28 & 15.5.29

The C.M.C, Bellary, is
informed that the D.P.I. has
been requested to submit
~~Estimate~~ plans and estimate
for building the extension
to the Municipal high sch
in the vacant site to the
north of the present build

Da
4.6.29

A
6/6

S/A
4.6.29

L.E. 5120

29.12.30

Educational **DEPARTMENT.**

Received ..... 19 *Registered* 25 FEB 1930 19

ASSISTANT SECY. TO GOVT. LAW DEPT.

Subject.

Municipal High School, Bellary - extension to building.

ENCLOSURES.
No.
Spare copies

R.O.C. No. 33 B/27

Station Madras, *Dated the* 21-2-1930 19

From (Name) W.E.Smith Esq., M.A.,

(Designation) Ag. Director of Public Instruction

To The Secretary to the Government of Madras,

LAW (EDUCATION) Department

~~Sir,~~

Resubmitted.

2. The plans and estimates have not yet been received from the Superintending Engineer who has been reminded.

for Director of Public Instruction

P.R.K. 24/2

70

C.F. 30.

Education **DEPARTMENT.** L.E.1551/3

Received ..... 19 *Registered* ..... 19 9.7.30.

Subject.

Municipal High school, Bellary-extensions to building.

ENCLOSURES.
No. .....
.....
Spare copies .....

No.33 B/27

Station Madras, *Dated the* 2nd July 1930 19.

From (Name) M.E. Smith, Esq., M.A.,

(Designation) A.D. Director of Public Instruction

To The Secretary to the Government of Madras,

Law and Education Department.

This is a reply to remider

Resubmitted.

2. Copies of letter No. 483 S.E., dated 5th May 1930 from the Executive Engineer, Bellary to the Superintending Engineer, Madras and T.M. dated 25th June 1930 from the Superintending Engineer, Madras to the Director of Public Instruction indicating the stage at which the question is are herewith submitted.

N O Saunders 7/7

for Director of Public Instruction.

Copy of letter No. 488 D... ... 8th ... 1930 from M.V. Irelan ..., M.Sc. M.I.E.E., Executive Engineer, Tellicherry Division to the Superintending Engineer, Trichinopoly.

. .....

Sub. ... Additional accommodation for the Basel Mission School, Tellicherry - Estimate for-

The ... is submitted herewith for ... in this office. The ... can be expected in the Circle office by 15th October 1930.

No. 488 M/930 ... 11-4-1930.

Copy forwarded to ... for information with reference to his ... No. 3 1/930 ... 8th April 1930.

Copy of ... No. ... dated ... 1930 from the Superintending Engineer, ... to the Executive Engineer, ... Trichinopoly.

... No. ... dated ... 1930 from ... Basel Mission School, Tellicherry

---

... estimates received ... with letter cited are proposed to be returned to the Executive Engineer for ... The Executive Engineer is requested ...

. 57 /930 ... 30th ... 1930.

Copy forwarded to ... for ... and ... with reference to his ... No. ... dated ... for information and confirmation.

(True Copies)

K T Saunders s/

for Director of Public Instruction.

577.

12

P. W. & C. Dept.

Memo. No. 12628 C/30-1, dt. 22-7-30

Buildings - Bellary - Extensions to the Municipal High School - preparation of plans and estimates.

The Superintending Engineer, Madras circle says in his T. M. dt. 25.6.30 that the plans and estimates for the work are ~~proposed to be~~ returned to the Executive Engineer for certain information and that the E. E. is being asked to resubmit them at an early date. As the matter appears to have been pending for a long time the C. E. is requested to issue instructions for the early transmission of the plans and estimates to the D. P. I. & to report the reasons for the delay.

17.7.30

17.7.30

17.7.30

Education DEPARTMENT.

L.Ed. 2012 B
26.8.30

Received ..... 19 *Registered* 19

Subject.

Municipal High school, Bellary- extensions to the school building.

ENCLOSURES.
No.
Spare copies

R.C. No. 33 B/27

Station Madras, *Dated the* 22nd August 1930

From (Name) W.E. Smith, Esq., M.A.,
(Designation) Ag. Director of Public Instructi

To The Secretary to the Government of Madras,
Law and Education Departm

~~Sir,~~

Letter Ref. G.C. No. 569 dated 13th August 1930 from the Chairman, Municipal Council, Bellary addressed to Government.

Submitted in continuation of Director's endorsement R. 33 B/27 dated 2nd July 1930. No funds have been provided for in the current year's P.W.D. budget in respect of this work.

for Director of Public Instruction.

P.V.S. 22/8

Received ..... 192 *Registered* 192

Subject.

73

Allotment of funds for extension of the High School Buildings.

.....

ENCLOSURES.
No .....
.....
Spare copies .....

Regd No. 569 4-8-30

Station Bellary. *Dated the* 13th August 1930. 192

From (Name) M.R.Ry.N. Narayana Rao Garu, B.A.B.L,

(Designation) Chairman, Municipal Council Bellar

To The Secretary to the Government of Madras,

Local Self Government Departmen

Madras.

Through, The Director of Public Inspruction, Madras.

Sir,

The plans & estimates for the extension of the schoo buildings to the North of the present buildings are ready a will be scrutinised by the Superintending Engineer and forw -ded to the Director of Public Instruction Madras in a sho time. The Superintending Engineer enquires whether necess funds have been provided for the work during the current ye I therefore request the Government to allot the required su from the current year's budget so that the work may be take up as early as possible.

M Ry NCS
M. A

W.
[illegible] provided
[illegible] work un
[illegible] B.E
[illegible]
No
24/9/30

M R Ramarao
13/8/30

I.M/13/8

Chairman, M.C.

M 13 8 30

Copy to the Superintending Engineer, Madras Circle with reference to his letter No:2096 G. dated 30-7-30. The dat transmission of the plans & estimates to the D.P.I., may be kindly be intimated to this office.

M R Ramarao
13/8/30

Chairman.M.C.

Edn Deptt

Revenue 1551/B-2/5.9.30
~~2012/B-1/5.9.30~~

Municipal High School Bellary – Extensions to buildings – Chairman's letter Ref. Gl. No. 569 Dt. 14.8.30

The C.M.C, Bellary, is informed that the question of providing funds for the proposed extensions to the buildings of the Municipal High School, Bellary, will be considered in connection with the Budget estimates for 1931.32 ~~after~~ if the plans and estimates are received in time from the D.P.I.

CPA
2.9.30.

SK
3.9.30

Educational **DEPARTMENT.**

L.E. 2257B

16.9.30

Received ..... 19 . *Registered* 19

Subject.

Municipal High School, Bellary - extensions to building.

GOVERNMENT OF MADRAS
16 SEP 1930
SECRETARIAT

ENCLOSURES.
No. .....
.....
Spare copies .....

R.O.C. No. 33 B/27.

Station Madras , *Dated the* 13th September 1930 19

From (Name) W.E. Smith Esq., M.A.,

(Designation) Ag. Director of Public Instruction,

To The Secretary to the Government of Madras,

LAW EDUCATION Department.

a/1430

Sir,

With reference to Government Memorandum 1799 B/27-6 dated 9th January 1929 and 1551 B-2, dated 5th September 1930 I have the honour to submit herewith the plans and estimates for Rs 32420 received from the Superintending Engineer, Madras Circle who has explained the need for the additions required in the report accompanying the estimate. The work is to be carried out by the Public Works Department. The Superintending Engineer has included provision for works in his Part II lists.

I have the honour to be,
Sir,
Your most obedient servant,

H Saunders 23.

for Director of Public Instruction

Telephone

To

The CE (R&B)

subject Part II scheme for 1931-32

The DPI has submitted detailed plans and estimates amounting to Rs 32,420 for extensions to Municipal High School building, Bellary. and has proposed a provision of Rs 10 000 for the work during 1931-32 will you please say whether the provision proposed may be accepted

K
7/10

DPI

P.W. & L. Deptt.

Telephonic Message.

From

The C.E. P.W.D. (B & R),

To

The Secy. to Govt.,

P.W. & L. Deptt.

Ref:- Your T.M. of date regarding Part II Schemes 1931-32-Provision of Rs.10,000 for extension to the Municipal High School, Bellary.

There is no information in my office to enable me to decide when the work can be commenced next year and what amount can be spent. There is however no objection to the proposed demand of Rs.10,000 being accepted.

Recd.
8-10-30.

C.F. 32

eply, please quote
ber, date and short
title."

Public Works DEPARTMENT.

Received *Registered*

From (Name) R.F. Stoney, Esquire.,
Chief Engineer, P.W.D.,
(Designation) General, Buildings and Roads.

Post Box 410, (Station) Chepauk

Telegraphic Address Cegbar.

To The Secretary to Government,

Public Works and Labour Department.

No. 4021-Wks, *dated* 17th November 192x 1930.

Sir, 30-4.,

ENCLOSURES.....

SPARE COPIES.....

Buildings - Bellary - Extensions to the Municipal High School - Preparation of plans and estimate - Ref:- Government memo No.12628 C/30-1 dated 22nd July 1930.

P. 72 ante

The Superintending Engineer Madras Circle has forwarded the plans and estimates for the above work to the Director of Public Instruction on 6th September 1930.

2. As regards the reasons for delay, I may observ that the required plans were forwarded to the Superintending Engineer at the end of September 1929 for the preparation of schedule of quantities and specifications in keeping with the materials used in the present building, as the scheme is for an extention to the present building and the pricing had to b done by the local officers. At the time the plans were sent by the Superintending Engineer to the Bellary Division for th preparation of estimate, the Division staff was not adequate to cope with the work especially the Bellary section. This section is reported to be heavy with widely scattered public buildings. The Division had at that time a heavy programme and in view of the fact that more urgent works had to be give preference there was delay in completing the estimate for thi work.

3. The delay in this case was more or less partl due to the Executive Engineer having been asked to prepare the schedule of quantities and partly to the fact that a - portion of the estimating was done in the Sub Divisional - Office.. I consider that if the schedule of quantities had

had been prepared in the Superintending Engineer's office and sent to the Executive Engineer for pricing and if the Executive Engineer had not depended to some extent on the Sub Divisional Office, a good deal of the delay could not have happened. I am taking up separately with the Superintending Engineer the question of the advisability of the original preparation of estimates or plans for a work costing over Rs.10,000/- being done in the Superintending Engineer's office itself and not in the Divisional Offices

for Chief Engineer 10/11/30

For Chief Engineer, P.W.D.

A.S.M.M.

put up
Hon
Sec
2.4.27

Govt. to build in the Ht
Compound a building
replacing the Police Ht.
& let the School have the use
or else to increase the
accommodation being now
provided

Ballarat Mech Comm 2.4.27

The request of the Ballarat mt. cl. for the extension of the accommodat of the Ballarat mt. High School has been referred to the D.P.I. for remar His reply is still awaited. The mt. c request to be put in possession of the Police hospital building which is adjacent to the high school build was refused [illegible]

the question of housing the Police hospital among the medical staff hospital amongst other purposes was again referred to the file has been sent to P.W.D for remarks in this no no. 5581-1A dated 2/4/27

3. There are no papers in this dept. on the question of building new Police hospital in the compound of the Govt. Head quarters hospital P.W.D may be consulted

2 Sly depts

omitted for perusal of the Pt with
note on p. 2. ante

MR
3-5-27

[illegible]
5.5.27

The CMC Bearing suggested that
Govt. may take over the Pol. Hosp
building for as HS & build worthless
accommodation to replace it in
the Hosp. compound.

The following points and considerations
is the addl. accmdn required for the
HS? 2(ii) is also the best way to
provide it?

The D.P.I. shd be consulted.

The question of extension to the mal
high school building and whether
the Police hospital building should no
be handed over to the mal. dl for the
purpose was raised by the chairmn
letters ~~which~~ have been referred
to the D.P.I. for remarks. His remarks
are awaited. It is for orders whet

these notes should also be sent to the

D.P.I. no in continuation of Memo no. 37376-1 LTM A/1 dated 22-12-26 and 14319-1 LTM A.

B&R 8.2.5.27

11/5/27

Yes the D.P.I may be consulted no.

12/5/27

16.5.27

D.P.I. no

D.P.I.'s office

Since r... (11-12-14 CP) p7c (

4 An official reply is being sent separately with reference to endorsements [illegible] (n-1) dated 22nd December 1926 and No.14019 [illegible] (n-1) dated 2nd May 1927.

RAP
28/5/27



18283

Secy desk

The official reply may be awaited. Meanwhile the above note of the D.P.I. may be submitted to Secy for perusal.

RAP
28/5/27

MR
2.6.27

hm
26/27

Secy

[memo. no. 37326-1 Dtd A dated 22.12.26]
[Memo. no. 14319-1 Dtd A dated 2-5-27]
Cno 8883 from the D.P.I. dated nos. 337-27
Cno 22925

The official reply referred to above has since been received. It points out in his no. note ante the D.P.I. agrees with the CNO Bellary that the following additions are necessary for the mal high school building.

1) Construction of an additional block of buildings for classes 4 and 5 and

for language classes with a view which the manual training work could be done

2) minor improvement

a) provision of doors for the latrines and

(b) provision of plain and rapt blackboards in the walls of class rooms

(c) provision for water + tiffin shed and limbs

Item Additional block the

says that the accommodation provided in the new building constructed by the Govt. under Govt no. 6674-D dated 27-10-25 is not sufficient The chairman has since dropped his request for the extension of the ~~Boys~~ Girls Hospital building so as to provide for the necessary additional accommodation.

may be supported in this dept.

4. Neither the D.P.I. has nor the ml. cl. has given an idea as to the cost of the proposals recommended. The York have undertaken (work) to provide (school) building for the boarding at an estimated cost of Rs. 56.000. The whole of which is ~~to be~~ met by the York. The cost of the additions and improvements found necessary recommended by the D.P.I. may also be met from provincial funds ~~if necessary~~

5. As regards the playgrounds of the school the D.P.I. suggests that the ml. cl. may be asked to assess York separately through him this may be accepted

6. Necessary orders on the segments have to issue in P.W. dept in consultation with Law + Edn + Fin as regards funds. The file may be transferred to P.W. through Law + Edn

BKR
17.7.27

MR
2-8-27

CVR
29.7.27



Attention is solicited to the note for the Finance Committee on pages 35-37 of G.O. No: 1674 W,d which gives a brief history of the scheme for the construction of a building for the Municipal High school, Bellary. As the Council was unable to provi a building from its own funds, the Govt decided to construct one and ~~xxx~~ lend it to the Council. It was decided that a design for a building costing not more than Rs 50,000 should be prepared and that a scheme for future extensions should be worked out, to be taken ~~xxx~~ up when funds were available. As the design prepared in accordance with this decision found to be inadequate, provision was made for the minimum additional accommodation required and an estimate for Rs 56,000 for ~~the~~ a building was approved in G.O 1674 W d/ 27-10-25. This building is now under construction and is likely to be completed soon

The question of constructing from Provincial funds the Bellary Municipal High School building was discussed by the Finance Committee in January 1924 and in October 1925.

In 1920, the Government considered that the necessity for a Secondary school building in Bellary had been established and that as the net cost of the Municipal High School, Bellary, was being met from Provincial funds, there was justification for their bearing the bulk of the cost of the building. Instead, however, of making a grant of the whole estimated cost of the building to the Municipal Council, the Government decided to construct a building at an estimated cost of 1.17 lakhs and to lend it to the Municipality for use as a High School, subject to the condition that the Council kept it in proper repair.

2. Subsequently, in February 1923, the Government ordered that a cheaper design for the building should be prepared, the cost being limited to Rs. 50,000, if possible, and that a scheme for future extensions should be worked out, to be taken up when funds were available.

The Finance Committee, before whom the scheme was placed in 1924, accepted the proposal, subject to a maximum limit of Rs. 50,000 for the expenditure to be incurred.

Subsequently, the D.P.I. considered that four more rooms should be provided, thereby raising the cost to Rs. 56,000. The matter was again placed before the Finance Committee in October 1925 and the Committee recommended its acceptance.

3. It is now pointed out by the Chairman Bellar Municipal Council and the D.P.I. that the new build (at an estimated cost of Rs. 56,000) which is now under construction is not sufficient to provide accommodation required for the High School and that additional accommodation is required as shown below:

(A) Additional class rooms.

(i) 4 class rooms for the fourth and fifth

(ii) 3 smaller class rooms for Sanskrit, Kan Urdu classes; and

iii) 1 hall for the Manual Training class.

(B) Minor additions.

(i) a water and a tiffin shed

(ii) a lumber room for games, and scout

iii) doors for the latrines and urinals;

original estimate for a work which has once been approved by the Finance Committee need not be reported to the Committee. In the present case, however, it is desirable to report the matter to the Finance Committee as the maximum money limit for this work has been fixed by the Committee.

At the same time, it is submitted that if the cost of these additions need not be borne by Govt. if the Municipal Council is now in a position to meet the cost from its own funds (taking a loan from Government, if necessary). Law (Edn) may be asked to obtain a note from L.S.G. on the present financial position of the Bellary Municipal Council.

If the cost of these additions is borne by the Municipality, the buildings now under construction will remain the property of Government and will be placed at the disposal of the Municipal Council, subject to the conditions laid down in G.O., No. 1674-W, dated 27-10-1925. According to para 3 (c) of this G.O. if the buildings are relinquished by the Municipality (at any time in future), the Council will get compensation for the cost of the additions carried out from Municipal funds.

6. Law (Edn) may be requested to take further action with reference to paras 4 and 5 above.

V.S.K.
2.9.27.

I think Govt. must accept liability for all the buildings necessary for the school in view of the financial position of the Municipal Council. The additional expenditure will have to be met by the Finance

Comm. letter, as cpt is in excess of the maximum expenditure to which the Committee agreed.

3.9.27



PW.L.

Law

PW.L. Deptt

Please see para 4 & 5 of the Finance Dept note at pp 10-11 ante and the Finance Secy's note above. This Deptt may accept the view that cost of the addl buildings shd be borne by Govt. the case may be passed on to Law (Sdn) for obtaining the necessary plans & estimate together with a report of reg: the further extensions, if any, from the A.P.I., as suggested in para 4 of this Deptt note

p10 ante

JW 5-9-27

JK 6.9.27

No. 1366SC/27-I
7-9.27

RP 6.9.27

J K 7.9.27.

Edn Deptt.

A.S Please see this Deptt note - page 9 ante. The Finance and Public Works & Lab. depts accept the prop at the cost of the additions and improvements shd be borne by

post. Ch Director may now be asked
obtain and submit to Govt plan
and esti [illegible] the additional.
requi [illegible] aft memo is re

10-9-2

8/12/9/2

12/9

8/12/9/2

Bellary, and also to report whether any further extension to the building will be required in the near future and if so to furnish an approximate estimate of the cost of such extensions. Accordingly the Director asked the C.E.C, Bellary, to forward to him the plans and estimate referred to above. The Chairman has now informed the Director that the question of preparation of detailed plans and estimates called for by Govt will be taken up by the Superintending Engineer when funds are provided for the work.

It is submitted that what the Govt wanted in para 1 of Memo. 1799 B-2 & 15.9.27 was only rough plans and approximate estimates and not detailed plans and estimates. (~~The preparation of detailed plans and estimates will be taken up~~) It is observed from the copy of the C.E's letter at page 23 C.F. that the Director has approved the design D.C.No. 2 of 1928 for the extensions to the building. The approximate cost of this design is Rs. 32500. The D.P.I. may be asked to submit to Govt a copy of this design together with the approximate estimate thereof and to

to expedite the reply to para 2 of the memo referred to above. The draft memo below is for approval

CPA
20.6.28.

21/6

Issued as memo. No. 1799/B/27, dt. 1744B from the D.P.I. R.C. 33B,

Please see memo. No. 1799/B/27 dt. 5.9.27 on page 15 c.f. and the D.P.I. letter on pages 25-27 c.f. The room design prepared by the Dy. Chief Architect for extensions to the building of the Municipal high school, Bellary provides for four regular class rooms, three smaller rooms for the lang. classes and a manual training class. The approximate cost of these extensions is Rs. 32,500. In addition to the above addl. accommodation the Chairman requests that provision should be made for two diffn rooms, a science room and, store rooms and a separate lecture or examination hall. The D.P.I. recommends that provisions for 200 may be added in the extensions

but he does not considers an examin hall necessary. It is submitted that the Govt may agree with the Direct. He may be asked to furnish ~~a~~ rough estimate ~~of the cost of~~ for the tiffin rooms, scout room and store rooms

2 The Dy. Consulting Architect has proposed that a new block providing for ~~the additional class rooms~~ may be erected in the middle of the open court yard of the school building and that the manual training shed may be built outside the building as indicated in the design submitted by the Direct The Chairman considers that a separate site outside to the north of the main building should be selec for the purpose of the extensions and the addl structures pont up on that site. Both the Dy. C.A. and the Direc are against the Chairmans prop. The Director recommends that Consulting Arc plan for addition. His recommend may be accepted and the Chairma asked to report whether he agrees to the proposals set out in the Directors letter. A draft memo is subd for."

Copy
3.8.28 SK

CR
6/8.00 1928

Memo. No. 1199 B/27-5 Dt 8-8-28 pp 31-32 c/f
C. No. 19 or B. from the Chn. C, Bellary
S.G. 276/28 Dt 8-8-28 pp 33-34 c/f

~~Text above Memo~~ Please see the Memo quoted above on pages 31-32 of c.f. On receipt of the rough plans and estimate for the different rooms etc called for in para 2 of the Memo, the question of provision of funds for the extensions will be considered. No action in the chairman's present letter is necessary. p. 31 c/f. pp 33-34 c/f.

COA 24.8.28
CR 25/8
81.
25/8/28

C No. 2658 B. From the Chn. C, Bellary No. S.C. 276/28 Dt 19.10.28. pp 35-36 c/f

Please see Memo. No. 1199 B-5 Dt 8.8.28 on pp 31-32 of c/f and the chairman's letter on pp. 35-36 of c-f. The Chairman was asked to report whether he accepted the D.P.I.'s proposals in regard to the extensions to the school building. The Council while accepting the Director's proposals in regard to the extent of addl. accommodation to be provided repeats the chairman's request that the extensions may be p. 36 c-f

built to the North of the present building. It was that an examination hall may also be provided. As already stated in ¶ 1 above the Director and the Dy. Consulting Architect are ~~opposed~~ not in favour of locating the addl buildings to the north of the main building. The Director considers that an examination hall is unnecessary the Council's requests cannot therefore be complied with. The case may be considered further when the plans and estimates for the tiffin rooms etc, called for in para 2 of the Memo are received

Sd
7.XI.28

Sd
3.11.28.

Sd
5/11

Sd J W Bell

From the D.P.I. R.C.No. 33B/27
Dt 14.12.28

In para 2 of Memo No. 1799 B-5-8 8.8.28 the D.P.I. was asked to obtain and furnish Govt with any plans and estimates for the addition of two tiffin rooms etc, to the proposed manual training shed (for the Bellary High). The plans and estimates have not been

been received and in reply to a reminder the Director reported in Nov^t last that the Chairman stated that they were expected from the Executive Engr. only by the middle of December, 1928. The Chairman now requests, p 39 c.f. after the issuance of the head number, that instructions may be issued to the Supg. Engr to arrange for the speedy preparation of plans and estimates. As it is too late now to consider the question of provision of funds for the addl accommodation in connection with next year's budget, the question can be considered on receipt of plans and estimates only in connection with the budget for 1930-31. In the circumstances there ~~is~~ seems to be no need for issuing special instructions to the P.W.D. officers as desired by the Chairman. ~~If the plans & estimates are received~~ The file may be laid over till the plans & estimates are received.

DA
1.1.29

An interim reply to the Chairman & the D.P.I is submitted for approval.

SA
2.1.29

DA
5/1

J
5/1

C.No. 952 B. From the C.M.C. Bellary, S.C. 276/28, dated 17-1-1929

In his letter on pages 44 and 45 of current file the C.M.C. Bellary again raises the question of the location of the new block of extensions to the Municipal High School buildings, Bellary, and of the provision of an examination hall for the building.

Location of the new block of extensions to the building.

The Chairman has represented more than once that the new block should be located on the site north of the present school building. The Deputy Consulting Architect and the D.P.I. both considered that it should be located in the middle of the courtyard of the present building. The reasons for this suggestion are set out in paragraph 4 of the D.P.I.'s letter on page 26 current file. This view has been concurred in and the Chairman has been informed accordingly. The Honourable the Minister has now noted that the best solution would be to locate the new block to the north of the present building. A U.O. note to the Director asking him to obtain fresh design and estimate for the extensions is submitted below.

Examination hall.

The D.P.I. has stated that an examination hall is unnecessary for the school and the Chairman has been informed that no examination hall would be provided. The Honourable the Minister has not noted on this point. Presumably this matter need not be reconsidered.

2. As the Honourable the Minister has not seen the D.P.I.'s letter containing reasons for the

that the new building ~~should~~ might be located in the quadrangle of the existing building the file may be submitted to him before the n.o. note to the D.P.I. issued.

G
11/4

To fix up a building in the quadrangle of an existing building is one type, I consider. The H.M.'s orders should be carried out. D.P.I. will however be informed n.o. The object of having a quadrangle for the original building will be frustrated

Jon
13/4.

I think it will be a pity to spoil the quadrangle. We may have a building in that place

G
13/4.

Education Department.

(G.O. 1799 B/27) U.O.Note No. 1799B/27-7 dated 17-4- 1929

Municipal High School, Bellary - Extensions buildings - Correspondence ending with Memo.No. 1799I 27-6,d 9-1-1929

f. 43 of cf.

.....

In Memo.No. 1799 B/27-5 d 8-8-28, it was proposed to accept the D.P.I's suggestion that the extensions to the municipal high school, Bellary might be built in the middle of the open courtyard of the present building. On further representation from the Municipal Council, Bellary, the Govt. have reexamined the question. They consider that the Council's suggestion to build the extensions in the vacant space to the north of the building would be the best solution. The D.P.I. may be requested u.o. to obtain a fresh design and estimate for the extensions from the Consulting Architect. He may also be requested to obtain and submit to Government the plans and estimates called for in paragraph 2 of Memo No. 1799 B/27- dated 8-8-1928.

p. 310 of cf.

(Para 2)

B (Para 2)

DIRECTOR OF PUBLIC INSTRUCTION 18 APR 1929 MADRAS

p. 31 of cf.

(Para 1)

SR 9.4.29.

AR 11/4

JM 13/4

C.No.1501B] From the Chief C, Bellary

No. S.C. 270/80

The Chief C, Bellary, may be informed that the L.O.I. has been requested to submit plans and estimate for building the extensions on the north of the present building.

A draft memo is submitted

4.6.29

8/6

Govt. II-16—2,003—20-7-28.

Law & Edn DEPARTMENT

SUBMITTED that the Director of Public Instruction

1799B/27-7 ~~Department~~ may be asked to expedite

dated 17-4-1929. noted on the margin regarding which reminders have already issued on—

Subject.

Municipal high school. Bellary—Extensions to buildings.

_____ 192

_____ 192

_____ 192

17/7/29

L.21283B
26.7.29

R.C.No. 33 B/27, dated 19th July 1929.

Resubmitted.

2. The detailed plans and estimates have not yet been received from the consulting Architect who has been reminded on the -- subject.

H. O. Saunders m. D.

for Director of Public Instruction

Edn Deptt.

C-S

Hee D. P. I. may be reminded again on 15.8.29 if necessary.

CRA.
27-7-29
S/A

GR
27/7

I-16 3,905 9-11-26.

26.150 Law & Edn DEPARTMENT.

SUBMITTED that the Director of Public Instruction his Department may be asked to expedite their reply to the un-official reference

O. No. 17998/27-7
Dated 17-9-1929

noted on the margin regarding which reminders have already issued on—

Municipal High School, Extensions & building disp

_____ 192

_____ 192

_____ 192

Edn. Dept.



(Please see the Director's reply to this reminder on p. 69 c.f.)
He may be reminded again
On 15.4.30

Pa
27.2.30
Pa

Sectt. II-16—4,504—14-11-29. 54 28 Law + Edn DEPARTMENT.

IV Reminder

SUBMITTED that the Director of Public Instruction has

No. 1799 B/27-1 ~~Department~~ may be asked to expedite ~~their~~ reply to the un-official reference

Dated 17-4-1929 noted on the margin regarding which reminders have already issued on—

Subject.

Municipal High
Sch. Bekary —
Sanctions & Buildings

Municipal High School, Bellary--Extensions:

The plans and estimates have not yet been received from the Superintending Engineer, Madras Circle, A copy of his Memorandum No.1470 G/360 dated 16-4-1930 is submitted herewith:-

Copy of Memorandum.

Read the following:-Ref: His No.191-G/19-2-30, re: additional accommodation for the Municipal High School, Bellary.

The attention of the Executive Engineer is drawn to this office No.57-By/360-G dated 30-1-30 and subsequent reminders and he is requested to state when the detailed plans and estimates for the work referred to above may be expected in this office.

H.S.Northey,
Offg.Supg.Engr.Madras Circle.

To
The Executive Engineer,
Bellary Dn.

Copy to the Director of Public Instruction, Madras with reference to his 1st reminder dated 5-4-30. The estimates and plans will be forwarded to you on receipt from the Executive Engineer.

60

C.1551/J From the D-P-I No. 33 R/29 Q 2-7

H/70-71 C.1551/J

Submitted for perusal of the D.P.I's reply on H/70-71 C.f. & further reminder

C'Pa
12.7.30

S/9
12.7.30.

The PWD have delayed the preparation of the plans & Estimates for over a year. The matter may be brought to the attention of Rural D.C

DS 14/7

RWTL.

2E 1551/13
14.7.30

12628
1 JUL 1930

P. Workshop

The C. E. (R+B) may be requested to ~~investigate the causes of delay and~~ see that the submission of the plans and estimates is expedited. A draft memo is submitted

SE 16.7.30

There is no definite intimation in this file when the plans & Estimates may first called for from the EE. DS ~~stated~~ the SE seems ~~acted~~ to have been taking necessary action in the matter vide SE's memo dt 1/29 cf. asks. The plans & estimates ~~asked for~~ have now been prepared by the EE ~~and the SE~~ & they are under consideration with the

V66 1.71

Subq Engineer who is calling for
certain further information from the
Admin. Issue of the memo
19.730 which we may be
returned by the Law Dept



112/22

From the D.P.I. R.O.C. 3318/27/Q/13-9-30

This file relates to the construction of extensions to the building of the Municipal High School, Bellary. Under Govt. No. 1674 W. dt 27.10.25, a building was constructed by Govt at a cost of Rs. 56,000 and lent to the Bellary Municipal Council for the use of the High school subject to certain conditions. Subsequently the Council represented that even after the completion of this building ~~accom~~ accommodation was still required for a few more classes. The Govt noted the D.P.I. to obtain and submit plans and estimates for providing the following addl accommodation:—

4 class rooms for IV & V classes
3 Smaller rooms for language classes
a hall for the manual training class
with 2 tiffin rooms, a scout room and 2 store rooms.

The Director has now submitted plans and estimate for Rs. 32,420 in respect of the additions. The estimate also provides for two rooms to be used as ~~class~~ physics and chemistry theory class rooms.

2

2. The proposal that the extens
also should be built at the cost
of Provident Fund has been accepte
by the P.W.D Labour and Finance depts
~~[illegible]~~ A sum of Rs. 140,000
only will be available in 1931-32
for building schemes relating to the
Edl dept. The Director will subm
Govt shortly a list of building sch
arranged in order of urgency. The
receipt of the list may be awaited

Cpa
27.9.30

AS 2/10

S/9
29.9.30.

The list of building schemes refer
to above has been received from the
Director. This scheme is included
in that list and a provision of
Rs. 10,000 has been proposed for the
next year. The file may be sent t
P.W.D Labour and Finance dis. for acc
of the proposals.

AS
4/10
PWD

Cpa
4.10.30.

The proposal may be accepted

2 Detailed estimates have been prepared in the present case the usual statement to accompany the plans and estimates has not been submitted the provision of Rs 10,000 for the work during 1931-32 may be accepted. The CE has included the work in his list of Part II schemes but he has not proposed any provision for it It is perhaps unnecessary to consult him in regard to the provision proposed as the work proposed is only a portion of an existing building & detailed

Please see Ko D.M.G
CR at p.22 cl. for. Ki re.v
at p.75 Cf
The Ko may be pro
at Ko to ... e Dell

agree to this scheme going before the Finance Committee as a Part II scheme for 1931-32. The Law (Edn) Deptt. may be requested to prepare the necessary MF for the Finance Committee.

Fin Leg. 32202. Dis. IV-1
13.10.30.

Asst
11.10.30.

DMO
13.10.30

S
13.10.30

13 OCT 1930
LAW DEPARTMENT

Leg. 2568B
E&L

Edn. Deptt.

A note for the Finance Committee is submitted for approval. It may be sent to Finance Dept. for adding the portion after note

26.10.30
Edn

AO
27.10.

Fin

May be circulated to H.M.S. Mc and C.H. for approval of the note for Fin. Committee.

Sd/- 21.10

30.10.30

Sd/-

01.10.131. F13 Sd/- 1/11/30

C.H. Sd/- 9/11

EDUCATION DEPARTMENT.

NOTE FOR THE FINANCE COMMITTEE.

PART II SCHEME FOR 1931-32.

[SUBJECT.—*Municipal High School, Bellary—Extensions to buildings.*]

NOTE BY THE ADMINISTRATIVE DEPARTMENT.

Summary.

Head of account.	Item of expenditure.	Ultimate cost.	Cost in 1931-32.
		RS.	RS.
41. a. Civil Works—Transferred—Original Works—Buildings—M.—Education other than European and Anglo-Indian.	Extensions to the building of the Municipal High School, Bellary.	32,420	10,000

2. In 1925 the Government sanctioned the construction of a building for the Municipal High School, Bellary, at a cost of Rs. 56,000. Owing to the impecunious condition of the Municipal Council the entire cost was met from Provincial funds. The building on completion was lent to the Municipal Council, Bellary, for the use of the high school subject to certain conditions. While the building was in the course of construction the Municipal Council represented to Government that it was not sufficient to provide the accommodation required for all the classes in the school and that further accommodation was required as shown below :—

Four class rooms for the IV and V classes.

Three smaller class rooms for Sanskrit, Kanarese and Urdu classes.

A hall for the Manual training class.

Two tiffin rooms, a scout room and store rooms.

The Director of Public Instruction who was consulted was of opinion that the extensions to the building proposed by the council were necessary. He was therefore asked to obtain and submit plans and estimates for the extensions. The Director has now submitted detailed plans and estimates amounting to Rs. 32,420 for the extensions and recommends that a provision of Rs. 10,000 may be entered for the work in the budget estimate for 1931-32. The proposal may be accepted.

A. F. W. DIXON—27-10-30.

NOTE BY THE FINANCE DEPARTMENT.

The proposal may be placed before the Finance Committee as a Part II scheme for 1931-32.

H. A. WATSON—30-10-30

From the C.S. (G.P.W.D.) No. 4021 W&S/30-4 of 17.11.30

Buildings - Bellary - Extension to the Municipal High School - delay in the preparation of plans & estimates

GOVERNMENT OF MADRAS
28 NOV 1930
LAW DEPARTMENT

The main file on the subject was sent finally to Law (Edn) department with Tech No. No. 12628 C/30-2 of 28.7.30. This may be sent to that department for continuation.

U.O. No. 21588 C/30-1
28.11.30

24.11.30.

Law
27/11

Education deptt

It has since been decided to drop this proposal so that funds may be made available for the scheme for playgrounds for the Presidency college. A draft order is subd L.S.G. may see Mecan

L.E. 30788-B-
29.11.30

GOVERNMENT OF MADRAS
18 DEC 1930
LAW DEPARTMENT

L.E. 2568-B-2
12.12.30

9/12.
10/12/30.

L.S.G. (M.M) Dept

1 The draft ~~note~~ order may be accepted and the file returned to Law (Edn) U.O.

Sectt. II-5 (a)—48,004—6-11-28 (6)

Education DEPARTMENT.

	Date.	Initials.
When received for Fair-copying.		
When copied ..		
When examined ..		
When signed ..		
When despatched ..		

31/7/31

Building - Municipal High school, Bellary - Extensions - Proposal - dropped

READ AGAIN G.O. No. ....., dated 192

..... " 192

READ ALSO:— p 76 c.f

C. No. 2257 13 From the D. P. D. No. 338/27 dated 13-9-192

" " " " " " 192

" " " " " " 192

ORDER.

575, dated 17-12-192

The Govt regret that owing to financial stringency they are unable to consider the ~~scheme for extending the padparabadaraga to be extracted to~~ the building of the Municipal High school, Bellary in connection with the Civil Budget Estimates for 1931-32.

AS. 19.12

JBM 9/12. SK